



BUMPERS

Gummed Hangers

FRAMELESS FRAMING **AND HANGING**

PLATE HANGERS

Panel Clamp

STAND-OFF

POSTER HANGER STRIPS



Frameless clips

Art. no. 10 10 30 Brand Reisaco type no. 3 Stainless steel clips, round model.

Complete with 4 meters nylon rope, packed per set.

Size up to 55 x 70 cm. Thickness up to 6 mm.

Art. no. 10 10 40 Brand Reisaco type no. 4

Stainless steel clips, round model.

Complete with 5 meters nylon rope, packed per set.

Size up to 70 x 100 cm. Thickness up to 8 mm.

As above, bulk package of 100 clips, without hanging rope. Art. no. 10 20 40 type No. 4




Plate hangers

Brand Reisaco.

Brass model. Each packed on show card.

Art. no.	Plate size
11 10 10	15 to 20 cm
11 10 20	20 to 30 cm
11 10 30	25 to 35 cm

As above, however, white plasticized metal brackets.

Plate size Art. no. 36 - 46 cm 11 10 40



Adhesive plate hangers

Pre-glued, linen version with nickel-plated suspension eye. Adheres to both glazed and non-glazed surfaces. Complete with hanging hook and nail.

Art. no.	Diameter	Plate size	Max. plate weight
11 15 10	30 mm	up to 9 cm	0,5 kg
11 15 20	50 mm	up to 15 cm	1,0 kg
11 15 30	75 mm	up to 20 cm	2,0 kg
11 15 40	100 mm	up to 30 cm	2,5 kg
11 15 50	140 mm	up to 40 cm	3,0 kg



Frameless clip

Art. no. 12 10 00

Made of chrome-plated spring steel. Equipped with hanging hole. Can only be used in combination with hardboard or mdf. Packed per 100 pieces.




Poster hanger strips

CHAPTERS

Made of plastic. A set consists of 2 strips, the upper of which is equipped with 1 or 2 hanging hooks, depending on the length. Price is per pack of 10 sets.

Clear	Black	White	Length
Art. no.	Art. no.	Art. no.	
13 60 10	13 61 10	13 62 10	40 cm
13 60 20	13 61 20	13 62 20	50 cm
13 60 30	13 61 30	13 62 30	62 cm
13 60 40	13 61 40	13 62 40	80 cm
13 60 50	13 61 50	13 62 50	93 cm
13 60 60	13 61 60	13 62 60	100 cm



A hanging system for wood print panels. Set consists of 1 screw hook with a length of 60 mm with matching wall plug and 1 sawtooth hanger with 2 screws.

Art. no.	Packed per
13 36 10	10 set
13 36 11	100 set

Poster snaps

Set consists of a flat aluminium upper and lower profile with click system, complete with end caps and hanging hooks.

Art. no.	Size
13 75 10	42 cm
13 75 20	50 cm
13 75 30	62 cm
13 75 40	70 cm
13 75 50	84 cm
13 75 60	93 cm
13 75 70	100 cm
13 75 80	120 cm

Foam board hanger

Only suitable for hanging light foam board panels. Total height 40 mm. With block hook and bendable sawtooth hanging.

Art. no.	Packed per
13 50 10	100 pieces
13 50 11	1,000 pieces


Foam board hanger extra

Made of spring steel. For hanging heavy foam board panels.

Height 27 mm, width 18 mm. With 2 barb hooks and sawtooth hanging.

Art. no.	Packed per
13 51 10	100 pieces
13 51 11	1,000 pieces













Brand Aclé. Manufactured from chrome-plated spring steel. Packed per 10 pieces, complete with opening levers.

Art. no.	LxWxH
12 15 30	7 x 8 x 7 mm
12 15 40	15 x 5 x 11 mm



Panel hanging plates

Metal, self-adhesive plate with hanging opening. For the hanging of large panels of foam board, aluminium, dibond, etc. Complete with wall hook, wall plug and screw.

Art. no.	Plate size	Max. object weight
13 54 05	45x 45 mm	1 kg
13 54 10	70x 70 mm	3 kg
13 54 20	100x100 mm	6 kg
13 54 30	200x100 mm	12 kg



Bumpers

Art. no. 13 54 90

Clear, self-adhesive clear dome bumpers.

Diameter 17.8 mm, height 9.6 mm.

When using the above hanging plates, the object fits right against the wall.

These can not be used in combination with 13 54 05.

Packed per set of 2 pieces.



Panel stand

Art. no. 13 54 95

Heavy metal stand of 125 mm high with which, in combination with the above hanging plates, objects to a maximum height of 40 cm can be placed.

These can not be used in combination with 13 54 05.



Sandwich clamp

Art. no. 13 56 00

For connecting two acrylate plates of 4 or 5 mm thick with a drawing or screenprint in between.

A set consists of a stainless steel under and top screw with a height of 10 mm for two plates of 5 mm thick and a nylon washer for filling the remaining space, when both plates are only 4 mm thick.


The holes to be drilled should have a diameter of 5 mm.


Packed per 10 sets.











Stand-off

Art. no. 13 58 00

A set of four stainless steel holders, in between, e.g. foam board plates, aluminium, dibond, glass, perspex etc, with a thickness up to 5 mm can be secured.

Total length 26 mm, diameter 15 mm.

Complete with 4 screws with a length of 35 mm and matching wall plugs.

Gummed hangers

Pre-glued, linen model with brassed hanging eye. Diameter 30 mm. Maximum picture weight 0.8 kg.

Art. no. Packed per 14 20 10 100 pieces 14 20 11 1,000 pieces

Pre-glued, paper model with wire hanging eye. Maximum picture weight 0.6 kg.

Art. no. Packed per 14 25 10 100 pieces 14 25 11 1,000 pieces

Disc plate hangers

Self-adhesive, plastic model white brassed hanging eye.

Art. no.	Diameter	Max. picture weight
14 30 10	25 mm	0.3 kg
14 30 20	40 mm	0.8 kg
14 30 30	60 mm	1.0 kg

Canvas wrap hanger

For hanging canvases without a frame.

Because the supplied wall hook fits entirely into the cutout of the pendant, the canvas hangs straight against the wall.

Complete with 2 panhead screws, screw length 16 mm.

Art. no. Packed per 14 52 10 10 pieces 14 52 11 100 pieces

14 52 12 500 pieces bulk without hooks, nails and screws.

Mirror bracket

Art. no. 14 70 00

Metal, adhesive bracket, size 70 x 70 mm.

Maximum mirror size, at a thickness of 4 mm, per plate 0.5 m².

For mirrors up to 3 kg.

Complete with 1 eccentric disc for a correction up to 8 mm for level hanging, and 2 self-adhesive spacers.

PLATE STANDS

CARDBOARD STANDS

Strut Backs

wooden display stands

STANDS

Wire Struts

Display Stands


turn buttons



Plate stands

Particularly suitable for ornamental boards, paintings, tiles, books, etc. Classic, hinged model of clear plastic.

Art. no.	For height of
11 45 10	8 to 15 cm
11 45 20	15 to 25 cm
11 45 30	25 to 45 cm



Art. no.	For height of
11 50 10	8 to 15 cm
11 50 20	15 to 25 cm

Modern vertical stand, solid model of clear plastic. Price per set.

Art. no.	For height of	Order unit
11 53 10	14 to 20 cm	Set of 3 pieces
11 53 20	19 to 25 cm	Set of 3 pieces
11 53 30	24 to 35 cm	Set of 2 pieces



Wooden display stands

Classic, hinged model of dark lacquered wood.

Art. no.	For height of
11 55 10	8 to 15 cm
11 55 20	15 to 25 cm
11 55 30	25 to 45 cm



Multi-stands

Art. no. 11 60 10 With short, 10 cm high, fully adjustable support. Made of clear plastic. Suitable for small plates, tiles, deep bowls, etc.

up to a height of 20 cm.

Art. no. 11 60 20

As above, however, with long, 16 cm high support. Suitable for large plates, paintings, books etc. up to a height of 35 cm.



Plate stands

Made of sturdy plastic, with collapsible metal support bracket. For plates up to 160 mm.

Art. no.	Colour
11 20 10	White
11 20 20	Black
11 20 30	Transparent



Wire struts

Art. no. 11 30 00
To place small frames.
Manufactured from chrome-plated steel, diameter 4 mm.
Total height 95 mm.



Art. no. 11 32 00

For small frames, tiles, books, etc.

With 2 rubber protective caps.

Made of nickel-plated steel, diameter 5 mm. Total height 12 cm.




For small frames, tiles, books, etc. Made of white lacquered steel.

Art. no.	Total height
11 37 10	6 cm
11 37 20	10 cm
11 37 30	14 cm
11 37 40	17 cm



Made of 1,000 grams 2-sided white cardboard. To place foam board panels, etc. Expandable, with hang-eye and self-adhesive strip. Price is per pack of 25 pieces.



Art. no.	Size	Height up to
13 52 10	13 cm	18 cm
13 52 20	18 cm	24 cm
13 52 30	24 cm	32 cm
13 52 40	29 cm	39 cm
13 52 50	34 cm	45 cm
13 52 60	39 cm	52 cm
13 52 70	45 cm	60 cm
13 52 80	50 cm	67 cm
13 52 90	63 cm	84 cm




Strut backs

Made of sturdy, black cardboard.

Complete with height-adjustable cardboard stand, and 1 hanging eye.

Art. no.	Size
24 18 10	10 x 10 cm
24 18 20	12.5 x 12.5 cm
24 18 30	15 x 15 cm
24 18 40	18 x 18 cm
24 18 50	20 x 20 cm
24 18 60	24 x 24 cm
24 18 70	25 x 25 cm



Made of sturdy, black cardboard.
Complete with height-adjustable cardboard stand, and 2 hanging eyes.

Art. no.	Size	
24 20 10	9 x 13	cm
24 20 20	10,5 x 15	cm
24 20 30	13 x 18	cm
24 20 40	15 x 20	cm
24 20 60	18 x 24	cm
24 20 70	20 x 25	cm
24 20 80	20 x 28	cm
24 20 90	20 x 30	cm
24 21 10	21 x 29.7	7 cm
24 21 20	24 x 30	cm

Strut backs de luxe

Made of heavy, dark grey cardboard, finished with black velvet. Complete with height-adjustable cardboard stand.

Art. no.	Size
24 50 10	9x13 cm
24 50 20	10.5x15 cm
24 50 30	13x18 cm
24 50 40	15x20 cm
24 50 60	18x24 cm
24 50 70	20x25 cm
24 50 80	20x28 cm
24 50 90	20x30 cm
24 51 20	24x30 cm



Frame stand

Art. no. 15 90 00

A metal stand for placement of photo frames, up to a size of 28 x 35 cm. Suitable for both wooden and aluminium frames. Comes complete with the necessary screws.







Frame stands

Brand Kiasu

An extremely elegant and stable stand, to place photo frames. This unique system clamps itself to the inner cardboard (thickness 1.5 to 3 mm). The hinged leg can be adjusted in any desired position.

Art no	Log longth	Colour	May frama siza
Art. no.	Leg length	Colour	Max. frame size
15 91 10	90 mm	Brassed	15 x 20 cm
15 91 20	90 mm	Nickel	15 x 20 cm
15 91 40	114 mm	Brassed	20 x 25 cm
15 91 50	114 mm	Nickel	20 x 25 cm
15 91 70	142 mm	Brassed	28 x 35 cm
15 91 80	142 mm	Nickel	28 x 35 cm

Brand Curl-up

With this systems a holder is clamped around the cardboard or mdf with a thickness of 0.8 to 3 mm. Then the stand can be inserted into the holder. Colour black.



Art. no.	Length	For frame width
15 89 20	8.5 cm	up to 2 cm
15 89 30	12 cm	from 3 to 6 cm
15 89 40	12.5 cm	over 6 cm

Turn buttons

Nickel-plated model. With these rotary knobs photo-back panels are kept in place, if there is not enough space for flexible tabs in the rebate of the frame.

Art. no.	Packed per	Length
15 92 10	100 pieces	21 mm
15 92 11	1, <mark>0</mark> 00 pieces	21 mm
15 92 20	100 pieces	26 mm
15 92 21	1,000 pieces	26 mm







Cards




3

INFORMATION CARDS

Glass Plate Clamps

EXHIBITIONS

STEEL NAILS




Expo strip

Art. no. 13 40 10

A clear strip of 75 mm length with 2 adhesive ends.

One end is pasted at the back of the frame, and on the other end the caption card.


Packed per 25 pieces.



Made of clear plastic.

For hanging photos and sheet material with a thickness of 1.5 to 16 mm. Great for exhibitions and fairs.

Height 10 mm, width 15 mm.






For the above glass plate clamps.

Brassed model, diameter 1.2 mm, length 22 mm.

Art. no.	Packed per
13 55 90	100 pieces
13 55 91	1,000 pieces



sample hook

Hook and Loop



WOODEN SAMPLES DISPLAY

Blue Spring Steel

SELF ADHESIVE

magnetic tape



Sample hook


Art. no. 13 40 00 Made of blue spring steel. For hanging wooden frame samples. Packed per 50 pieces.





Self-adhesive, hook corners for wooden frame samples. Colour black. Great adhesive strength. On rolls of 100 pieces.

Art. no.	Size
13 41 10	33 x 9 mm
13 41 20	33 x 18 mm
13 41 30	66 x 23 mm




Self-adhesive on rolls.

The loop strap goes on the wall, the hook strap on to the frame sample. Length 25 meters, width 25 mm.

Type	Colour
Hook	Black
Loop	Black
Hook	White
Loop	White
	Hook Loop Hook





Self-adhesive, magnetic tape for attaching wooden sample corners to metal

Packed per 10 strips of 30 cm, easy to cut with scissors.

Width
12.7 mm
2 <mark>5.4 mm</mark>

SOLO HANGER

hard wall hooks

ceiling rail

Division wall hooks

Adjusable hook



HANGING ON WALLS

PEGBOARD HOOKS

CORNER CRAB

PICTURE HOOK

Picture hooks



A series of 5 different selections: 3 metal brackets for soft walls, and 2 hard wall hooks.

These selections are each packed in a nice "Thank You" bag, as a free gift to your clients.

Price is per box.

Art. no.	Type		Packed per
13 10 10	Metal	up to 9 kg	100 bags
13 10 20	Metal	up to 13 kg	100 bags
13 10 30	Metal	up to 22 kg	100 bags
13 10 40	Hard wall	up to 6 kg	50 bags
13 10 50	Hard wall	up to 8 kg	50 bags


Art. no. 13 10 00

Assortments package of 1 box each, total 400 bags.



Heavy, brass plated model. Complete with steel pins.

Art. no.	Size	Type	Capacity	Packed per
13 15 10	0	1 nail	5 kg	10 pieces
13 15 20	1	1 nail	5.5 kg	10 pieces
13 15 30	2	1 nail	7 kg	10 pieces
13 15 40	3	2 nails	12 kg	6 pieces



Pegboard hooks

For hardboard walls and display panels in which can be drilled. Nickel-plated model, diameter 3.7 mm. Packed per 100 pieces.

Art. no.	Model	Total height
13 17 10	1	33 mm
13 17 20	2	43 mm
13 17 30	3	53 mm
13 17 50	5	50 mm



Hard wall hooks

Art. no. 13 20 00

Plastic, hook model. Complete with 4 steel nails.

Packed per 5 pieces.





Picture rail hooks

For hanging paintings on a wall bar.

Art. no.	Size	Height	Maximum picture weight
Brass plated m	odel		
13 25 10	Small	35 mm	12.5 kg
13 25 20	Large	43 mm	25.0 kg
Chrome plated	model:		
13 30 10	Small	35 mm	12.5 kg
13 30 20	Large	43 mm	25.0 kg
White lacquered model:			
13 32 10	Small	35 mm	12.5 kg
13 32 20	Large	43 mm	25.0 kg

Separation wall hooks

For various kinds of walls on which no hanging rail can be mounted.

To be used in combination with perlon wires with eye.


Art. no.	Model	Brand
13 42 50	1	alu Interselect
13 42 55	2	Clear Alcoa
13 42 65	4	Alu Verwol 1
13 42 70	5	Alu Verwol 2
13 42 80	6	Alu Sepa
13 42 85	7	Chrome Askon
13 42 90	8	Clear PE
13 42 93	9	alu Lux Kozijn
13 42 95	10	alu Maars


Corner crab

Art. no. 13 65 00

This unique product helps to hang framed objects, like e.g. mirrors, in the corner of a room without any visible mounting.

The plastic bracket, to which the frame or mirror hangs, is kept in place by an elastic band. Suitable for frames up to a width of 58 cm and a picture weight of up to 8 kg.













Spring clip

Art. No. 13 40 15 Type **3024.100** For perlon wires of 2 mm. Maximum picture weight 4 kg.



Art. no. 13 40 20 Type **3020.100** Maximum picture weight 20 kg.

Suitable for all kinds of steel and perlon wires.



Solo hanger

Art. no. 13 40 30 Type **SO 200** A simple hanging system for a wall, a sloping wall or on a ceiling.

Complete with steel wire, with a length of 200 cm and an adjustable hook. Maximum picture weight up to 20 kg.



Suspended ceiling clamp

Art. no. 13 42 96
Type **SL 003**Fits with almost every system ceiling.
To be clamped around the aluminium profile.




Art. no. 13 42 97 Type **SH 150** For ceiling clamp 13 42 96 Diameter 1.2 mm, length 150 cm.



Screw locking hook

Art. no. 13 42 98
Type **HM 003**For steel cable with open eye 13 42 97 and for perlon wires 2 mm.
Capacity 3 kg.



System ceiling hanger

Art. no. 13 42 95 Type SC 200

Is pushed over the aluminium strip of the ceiling edge rail. With pre-assembled perlon wire of 200 cm, and a screw hook up to 5 kg.

Please note that if there is a bar between the wall and the aluminium strip the hanger will hang slightly free from the wall.

Ceiling rail


Art. no. 13 40 40 Type 1401.200

This rail is attached to the ceiling with a click system. As a result, paintings etc. can be hung in free space,

ideal for e.g. in a shop window.

To be used in combination with all hanging wires with twister.

Colour white, length 200 cm.




Mounting set

Art. no. 13 40 45 Type **4044.200**

This contains all the mounting materials for a **Ceiling rail** of 2 meters.







For walls where no hanging rail is used, such as e.g. on exhibition walls and office partitions.

White lacquered metal. Maximum picture weight 15 kg.

To be used with perlon wires with eye and glider.

Price is per pack of 10 pieces.

Art. no.	Type	Wall thickness
13 43 10	9.4502	up to 11 mm
13 43 20	9.4503	up to 16 mm
13 43 30	9.4514	up to 18 mm
13 43 40	9.4504	up to 21 mm
13 43 50	9.4505	up to 26 mm
13 43 60	9.4506	up to 31 mm

Flexible panel over-hook.

Art. no. 13 44 10

Type **9.4541**

Made of white lacquered spring steel. For wall thicknesses of 11 to 30 mm. Can be used with perlon wires with eye. Maximum picture weight up to 3 kg.

Wall rail

Art. no. 13 45 15

Type **9.4357**

White aluminium J-profile, length 200 cm. Pre-drilled with 8 screw holes. Maximum picture weight 20 kg per meter.

Hanging rods

Pre-curved, white hanging rods, diameter 2 mm.

Maximum picture weight 20 kg.

Art. no.	Type	Length
13 45 25	9.4216	100 cm
13 45 30	9.4217	200 cm

Sliding hook

Art. no. 13 45 40

Only suitable for 2 mm rod. Maximum picture weight 3 kg.

Reinforcement hook

Art. no. 13 45 50

Type **9.4206**

Is placed over sliding hook 13 45 40. Maximum picture weight 10 kg.


Screw

Art. no. 13 49 90


Type **9.4901**

White lacquered phillips screw for J-profile. Length 45 mm.

Packed per 200 pieces.









Pre-curved, white hanging rods, diameter 3 mm. Maximum picture weight 20 kg.

Art. no.	Type	Length
13 45 70	9.4161	100 cm
13 45 75	9.4162	150 cm
13 45 77	9.4163	200 cm

As above, however, blank stainless steel model.

Art. no.	Type	Length
13 45 60	9.4151	100 cm
13 45 65	9.4152	150 cm
13 45 67	9.4153	200 cm

Sliding hook

Art. no. 13 45 90

Type 9.4170. Made of stainless steel.

Only suitable for 3 mm rods. Maximum picture weight 20 kg.

S-hooks

To be hooked in J-profiles for use of perlon wire with slider.

Art. no.	Type	Model
13 46 60	9.4500	White lacquered
13 46 65	9.4501	Nickel-plated

Perlon wires with loop

Diameter 2 mm. Maximum picture weight 15 kg.

Art. no.	Type	Length
13 46 20	9.4413	150 cm
13 46 30	9.4414	200 cm
13 46 40	9.4416	300 cm

Perlon wire on roll

Art. no. 13 46 70

Type 9.4404. For D.I.Y. perlon wires with loop.

Maximum picture weight 15 kg, diameter 2 mm, length 100 meters.

Rope clamp

Art. no. 13 46 80

Type 9.4431. For perlon wire 2 mm. Packed per 100 pieces.

For locking plyers, see page 29

Steel wire with loop


Diameter 1.8 mm, maximum picture weight 20 kg. Only to be used with clamping hook 13 49 30, clamping hook Loqqer 13 49 35, Micro Grip 2 mm 13 49 37 and Micro Grip Loqqer 2 mm 13 49 38

Art. no.	Type	Length
13 48 97	9.4976	150 cm
13 48 98	9.4977	200 cm
13 48 99	9.4979	300 cm









Combi rail pro light

Art. no. 13 47 70 Type **40.11200**

White aluminium hanging profile, length 200 cm, 12 Volts. Maximum picture weight 20 kg per meter. Includes mounting materials and end caps.

Trafo

Art. no. 13 47 71 Type **40.32100** 100 Watt, including a 5 meter long cable.

Connector set

Art. no. 13 47 72 Type **40.31300**

Serves as power connection between 2 Combi rails. Includes 1 inner angle and 1 outer angle coupling.

Light fixtures

Easy-to-move and very flexible for optimal lighting.

Art. no.	Type	Length
13 47 73	40.21500	50 cm
13 47 74	40.21700	70 cm

Lamps

Brand Philips, Master Led Warm White.

Art. no.	Type	Power
13 47 75	40.41304	6.5 Watt
13 47 76	40.41307	8 Watt

All of the above components are **CE** and **KEMA** approved.

Info rail

This rail is specially designed for easy hanging and removing of posters, recipes, bar vouchers, etc. with a thickness of up to 2 mm. Complete with mounting materials and end caps.

Colour natural aluminium

Art. no.	Type	Length
13 47 80	05.48050	50 cm
13 47 81	05.48100	100 cm
13 47 82	05.48200	200 cm
13 47 84	Set extra end	d capskappen for the aluminium Info Rail.

Colour white


Art. no.	Type	Length
13 47 85	05.49050	50 cm
13 47 86	05.49100	100 cm
13 47 87	05.49200	200 cm
13 47 89	Set extra e	nd capskappen for the aluminium Info Rail.












Click rail

Art. no. 13 48 10 Type **9.4348**

CHAPTERS


White primer model, can easily be lacquered in the colour of the wall. Length 200 cm. Maximum picture weight 30 kg per meter.



Mounting set

Art. no. 13 48 15 Type 4.065

This contains all the mounting materials for a Click Rail of 2 meters



Click and Connect

Art. no. 13 48 20 Type **9.4113**

For wall mounting of the Click rail. Packed per 50 pieces.



Art. no. 13 48 30 Type **9.4930**

For Click and Connect. Packed per 100 pieces.



Screw

Art. no. 13 48 40 Type **9.4929**

For Click and Connect. Packed per 200 pieces.

Corner connector

Art. no. 13 48 50 Type **9.4107**

For Click rail. Colour white.

End cap

Art. no. 13 48 60 Type **9.4105**

For Click rail. Colour white.




Clickrail Pro

Art. no. 13 48 05

Type **05.05420**

White primer version, can easily be matched with the colour of the wall. The twister hook remains invisible.

Length 200 cm. Maximum picture weight 50 kg. per meter.



Mounting set

Art. no. 13 48 08

Type 4.067

This contains all the mounting materials for a Click Rail of 2 meters



Top rail

Aluminium hanging profile for ceiling fixing, length 200 cm.

Pre-drilled with 16 screw holes.

Only to be used with perlon wire, steel wire and hanging rods with twister.

Maximum picture weight 20 kg per meter.

Art. no.	Type	Colour
13 48 65	9.4309	White
13 48 66	9.4378	Black

Panhead screws and wall plug for Top rail. Length 15 mm.

Art. no.	Type	Colour	Packed per
13 48 67	9.4912	White	200 pieces
13 48 68	9.4903	Black	200 pieces
13 48 69	9.4900	Plug	100 pieces

Steel rod with twister

Art. no. 13 48 70

Type **9.4198**

Used in combination with Click rail, Combi rail,

Contour rail and Top rail.

Colour white, length 200 cm, diameter 2 mm. Maximum picture weight 20 kg.

Only to be used with cable hook clamp no. 13 49 15

and adjustable hook no. 13 49 30

Perlon wires with twister

Used in combination with Click rail, Combi rail,

Contour rail and Top rail.

Diameter 1 mm. Maximum picture weight 5 kg.

Art. no.	Type	Length
13 48 77	30.21150	150 cm
13 48 78	30.21200	200 cm

Micro grip 1 mm

Art. no. 13 48 79

Type **30.41100**

Maximum picture weight 5 kg.

Steel wires with twister

Used in combination with Click rail, Combi rail,

Contour rail and Top rail.

Diameter 1.8 mm, maximum picture weight 20 kg.

Only to be used with adjustable hooks no. 13 49 30 and 13 49 35

Art. no.	Type	Length
13 48 71	09.33150	150 cm
13 48 76	09.33200	200 cm

Perlon wires with twister

Used in combination with Click rail, Combi rail,


Contour rail and Top rail.

Diameter 2 mm. Maximum picture weight 20 kg.

Art. no.	Type	Length
13 48 81	09.23150	150 cm
13 48 91	09.23200	200 cm
13 48 93	09.23300	300 cm







Perlon wires with twister

Used in combination with Click rail, Combi rail, Contour rail and Top rail.

Diameter 2 mm. Maximum picture weight 20 kg. This model features the Twister Cliq2fix system, that prevents the perlon wire from falling out of the hanging rail.

Art. no.	Type	Length
13 48 82	09.13150	150 cm
13 48 92	09.13200	200 cm

Hanging hooks

To be used with perlon wires with eye, slider and twister of 2 mm.

Screw locking hooks

Art. no. 13 49 10 Type **9.4205**

Maximum picture weight 4 kg.

Art. no. 13 49 15 Type **9.4207** Maximum picture weight 5 kg.

Art. no. 13 49 20 Type **9.4209** Maximum picture weight 7 kg.

Art. no. 13 49 25 Type **9.4208**

For aluminium exchange frames, maximum picture weight 10 kg.

Self locking hooks

Can be used with perlon wires with loop, slider and twister, and with steel wires with twister of 2 mm.

Adjustable hook


Art. no. 13 49 30 Type **9.4261**

Maximum picture weight 15 kg.

Adjustable hook/logger

Art. no. 13 49 35 Type **9.4262** With theft-delaying clip. Maximum picture weight 15 kg.





Micro grip 2 mm

Art. no. 13 49 37

Type 30.41200. Maximum picture weight 20 kg.

Micro grip/loqqer 2 mm

Art. no. 13 49 38

Type 30.41250. With theft-delaying clip. Maximum picture weight 20 kg.

Side-loader hook

Art. no. 13 49 40

Type 9.4228. Can be used with aluminium frames,

made of profile 11 etc.

Maximum picture weight 15 kg. Price is per set of 2 pieces.

Security nipple

Art. no. 13 49 49

Type **9.4211**. Can be placed under the hanging hooks as extra security.

Only to be used in combination with perlon wires.

Hanging rail plus

Art. no. 13 49 50

Type **9.4318**. Extra heavy white aluminium J-profile, length 200 cm. Maximum picture weight 100 kg per meter. Pre-drilled with 8 screw holes.

Hanging rod plus

Art. no. 13 49 60

Type 9.4278. A white, 4 mm thick square aluminium hanging rod with pre-curved S-nod. Length 150 cm. Maximum picture weight 20 kg.

Hanging rod Plus Steel

Art. no. 13 49 65

Type 9.4221. A white, 4 mm thick square steel hanging rod.

Length 150 cm. Maximum picture weight 100 kg.

Clamp hooks plus

Only suitable for 4 mm Hanging rod plus.

Art. no. Type Max. picture weight 13 49 70 9.4253 40 kg 13 49 80 9.4255 100 kg

Screw

Art. no. 13 49 90

Type **9.4901**. White lacquered phillips screw for J-profile.

Length 45 mm. Packed per 200 pieces.



Anti-theft blocking device

Art. no. 13 49 88

Type 9.4290. Is placed as security over the Hanging rod plus steel and the Hanging rail plus. Colour white.

Anti-theft hook

Art. no. 13 49 85

Type 9.4256. Only suitable for Hanging rod plus.

Maximum picture weight 100 kg.

Security collar

Art. no. 13 49 89

Type 9.4293. As an extra security, can be added under the Clamping hook plus.

Sloping stopper

Art. no. 13 48 95

Type **9.6645**. Specially developed for sloping walls, such as in attics, under stairs etc.

Set consists of: 1 perlon wire with solid 200 cm, screw hook, stopper and key.

Maximum picture weight 4 kg.



Art. no. 13 47 60

Type **9.4237**

To be hooked in J-profiles for use of perlon wire with slider.

Perlon wires with slider

Diameter 2 mm. Maximum picture weight 15 kg.

Type Length Art. no. 9.4425 150 cm 13 47 20 13 47 30 9.4426 200 cm

Contour rail

Art. no. 13 47 90

Type **30.11201**

A compact hanging rail of only 12.5x12.5 mm in white primer finish, can be easily lacquered in the colour of the wall. Length 200 cm, maximum picture weight 20 kg per meter.


Mounting set


Art. no. 13 47 95 Type **30.31310**

This contains all the mounting materials for a **Contour rail** of 2 meters.









Strap Hanger

sawtooth hangers

FIT-OVER HANGER

HANGING TO FRAMES


SECURITY

nylon cord **Ferrules**



D-Rings





SELF-FIX HANGERS

Heavy, brass plated model.

Art. no. 14 10 10 14 10 11 14 10 20 14 10 21 14 10 30 14 10 31 14 10 40 14 10 41	Size 1/0 1/0 1 1 1 ½ 1 ½ 2 2	Plate width 6 mm 6 mm 10 mm 10 mm 12 mm 12 mm 15 mm	Packed per 100 pieces 1,000 pieces 100 pieces 1,000 pieces 1,000 pieces 100 pieces 1,000 pieces
14 10 30	1 1/2	12 mm	100 pieces
14 10 40	2	15 mm	100 pieces
14 10 41	2	15 mm	1,000 pieces
14 10 50	3	16 mm	100 pieces
14 10 51	3	16 mm	1,000 pieces
14 10 60	4	20 mm	100 pieces
14 10 61	4	20 mm	1,000 pieces
14 10 70	5	24 mm	100 pieces
14 10 71	5	24 mm	1,000 pieces



Heavy, brass plated model with classical design hanging eye.

Art. no.	Packed per
14 15 10	100 pieces
14 15 11	1,000 pieces



Nickel-plated model. A simple hanger for smaller frames without a back-tap board. Is placed over the mdf or inner cardboard.

Art. no.	Packed per
14 39 10	100 pieces
14 39 11	1.000 pieces






Screw eyes

Heavy, brass plated model. Self-tapping. Packed per 100 pieces.

Art. no.	Length x Diameter
14 40 10	6x 3 mm
14 40 20	8 x 4 mm
14 40 40	12 x 8 mm
14 40 55	16 x 10 mm



Machine for self-fix hangers

Art. no. 14 37 00

Brand Miniquick type SH 200

A handy machine for applying hangers in e.g. carton, hardboard or mdf with a size of at least 9 x 13 cm, and up to 60 x 80 cm,

and a thickness of 1 to 4 mm.

This machine can handle 6 different types of self-fix hangers, each with its own locator disc. Size 42 cm deep, 60 cm wide and 58 cm high. Weight 11 kg.

Locator discs

Art. no.	Hanger
14 36 01	209-1
14 36 03	219-1
14 36 04	219-2
14 36 06	219-4
14 36 07	218-1
14 36 09	219-3

Pressure heads

Art. no.	Diameter
14 36 20	40 mm
14 36 30	60 mm

Self-fix hangers

Art. no. 14 37 10 Type **MQ 209-1**

Hinged model with 1 hole, colour black.

Packed per 1,000 pieces.

Art. no. 14 37 35 Type **MQ 219-1**

Fixed model with 1 hole, colour black.

Packed per 1,000 pieces.

Art. no. 14 37 45

Type **MQ 219-2**

Fixed model with 2 holes, colour black.

Packed per 1,000 pieces.

Art. no. 14 37 55 Type **MQ 219-3**

Fixed model with 3 holes, colour black.

Packed per 1,000 pieces.



0

Art. no. 14 37 60 Type **MQ 219-4**

Fixed model with extended hanging and 4 holes.

Colour nickel. Packed per 1,000 pieces.

Art. no. 14 37 70 Type **MQ 218-1**

Sawtooth hanger with 2 holes. Colour black.

Packed per 1,000 pieces.



Sawtooth hangers

Made of galvanized steel. With teeth on both sides. Total length 40 mm.

Art. no.	Packed per
14 45 20	100 pieces
14 45 21	1,000 pieces

As above, however, packed each in a plastic bag, complete with 2 panhead screws with a length of 9.5 mm.

Art. no.	Packed per
14 45 25	100 bags
14 45 26	1,000 bags

Manufactured of galvanized steel, and toothed on one side. Total length 65 mm.

Art. no.	Packed per
14 45 30	100 pieces
14 45 31	1,000 pieces

As above, however, packed each in a plastic bag, complete with 2 pan head screws with a length of 13 mm.

Art. no.	Packed per
14 45 35	100 bags
14 45 36	1,000 bags

Mega-sawtooth hanger

Art. no. 14 45 40 Manufactured of 2 mm thick galvanized steel.

Total length 90 mm, height 25 mm. Maximum picture weight approx. 110 kg. Packed per 10 pieces, including the required panhead screws,

with a length of 16 mm.

Sawtooth hanger with nails

Manufactured of galvanized steel, with tooth on one side. Nail height 6.5 mm. Length 25 mm.

Art. no.	P <mark>ac</mark> ked per
14 46 10	100 pieces
14 46 11	1,000 pieces

Sawtooth insert hanger


Made of white plastic, diameter 20 mm, height 8 mm. With half-round toothed opening. Being placed in a drilled hole in a frame or stretcher frame.

Art. no.	Packed per
14 48 10	100 pieces
14 48 11	1,000 pieces

Drill

Art. no. 14 48 15 A special flat drill, to prepare holes for the above insert hanger.






























Hanging plate

Art. no. 14 50 10

Heavy, nickel-plated model.

Packed per 50 pieces, including the required panhead screws, with a length of 16 mm.

Hanging plate for metal frames

Art. no. 14 50 20

Extra heavy hanging plate for profile 11 etc. Packed per 50 pieces.

Nylon cord

Made of stretch-free, braided Tiptolon. Thickness 1.5 mm.

Art. no.	Length
14 55 10	100 meter
14 55 11	1,000 meter

Perlon wire

Fully Clear and very easy to tie. On 50-meter rolls.

		Maximum
Art. no.	Diameter	picture weight
14 59 10	0.6 mm	19 kg
14 59 20	0.8 mm	33 kg
14 59 30	1.0 mm	46 kg
14 59 40	1.2 mm	60 kg
14 59 50	1.5 mm	82 kg

Steel wire

Art. no. 14 60 00

A non-knotable, twisted bare wire. It can only be processed with ferrules code 1. Diameter 1 mm, maximum picture weight 15 kg, roll length 1,000 meters.

A very smooth, braided wire.

				Maximum	renules
Art. no.	No.	Diameter	Length	picture weight	code
14 61 10	1	1.0 mm	670 meter	3.6 kg	1
14 61 20	2	1.5 mm	457 meter	5.5 kg	1
14 61 30	3	1.8 mm	313 meter	7.3 kg	2
14 61 40	4	2.1 mm	274 meter	9.1 kg	2
14 61 50	5	2.4 mm	226 meter	10.9 kg	2
14 61 60	6	2.7 mm	198 meter	12.7 kg	_
14 61 80	8	3.1 mm	152 meter	16.4 kg	-





CHAPTERS

Also known as **Softstrand**. Made of silver coloured stainless steel. A user-friendly, smooth and easy-to-tie, very strong wire.

				Maximum	Ferrules
Art. no.	Nr.	Diameter	Length	picture weight	code
14 62 10	1	0.5 mm	503 meter	5.4 kg	1
14 62 20	2	0.7 mm	343 meter	9.1 kg	1
14 62 30	3	0.8 mm	252 meter	13.6 kg	1
14 62 40	4	0.9 mm	191 meter	15.9 kg	1
14 62 50	5	1.0 mm	168 meter	18.1 kg	1
14 62 60	6	1.1 mm	142 meter	22.7 kg	1
14 62 80	8	1.2 mm	114 meter	27.2 kg	1
14 62 90	9	1.5 mm	56 meter	45.4 kg	2

Steel wire Duracoat-Silver

Also known as **Super-Softstrand**. Made of stainless steel wire, nylon coated. A user-friendly, smooth and easy-to-tie, very strong wire.

				Maximum Ferrules
Art. no.	No.	Diameter	Length	picture weight code
14 63 20	2	0.9 mm	457 meter	6.8 kg 1
14 63 30	3	1.1 mm	343 meter	9.1 kg 1
14 63 40	4	1.2 mm	259 meter	11.3 kg 2
14 63 50	5	1.5 mm	152 meter	19.5 kg 2
14 63 60	6	1.9 mm	84 meter	27.2 kg -
14 63 80	8	3.1 mm	38 meter	45.3 kg -

Steel wire dispenser

Art. no. 14 64 90

Made of black lacquered metal.

When using this dispenser, it will always keep the steel wire neatly on the roll. Suitable for all our types of steel wire.



Ferrule pliers

Art. no. 17 20 00 For squeezing ferrules.

Ferrule small

Nickel-plated model, length 10 mm. Inner diameter 2.5 mm. Suitable for steel with ferrules code 1.

Art. no.	Packed per
17 20 10	100 pieces
17 20 11	1,000 pieces

Ferrule large

Nickel-plated model, length 10 mm. Inner diameter 3.3 mm. Suitable for steel with ferrules code 2.

Art. no.	Packed per
17 20 20	100 pieces
17 20 21	1,000 pieces






















D-rings

Heavy, nickel-plated model. Height 20 mm.

Art. no. Packed per
14 65 10 100 pieces
14 65 11 1,000 pieces

Extra strong, nickel plated model, D-ring made out

of one piece. Height 24 mm.

Art. no. Packed per 14 65 15 100 pieces 14 65 16 1,000 pieces

Brass plated model. Height 24 mm.

Art. no. Packed per 14 65 20 100 pieces 14 65 21 1,000 pieces

Heavy, nickel-plated, with tipped end. Height 25 mm.

Art. no. Packed per 14 65 30 100 pieces 14 65 31 1,000 pieces

Extra strong, nickel-plated model.

With extended, pointed hanging eye. Height 33 mm.

Art. no. Packed per 14 65 40 100 pieces 14 65 41 1,000 pieces

Galvanized, flat model, so called "eight shaped", with small offset.

Height 27 mm. Packed per Art. no. 100 pieces 14 65 50 1,000 pieces

14 65 51

Super heavy, nickel-plated model with 2 screw holes.

Height 35 mm.

Art. no. Packed per 14 65 60 100 pieces 14 65 61 1,000 pieces

Z-bar hanger cleat strip

For hanging extremely heavy frames.

Manufactured from 1.2 mm thick aluminium, can therefore be easily

Length 150 cm, equipped with 29 screw holes of 5 mm.

Maximum picture weight 23 kg per meter


Art. no. Packed per 14 72 10 2 pieces 14 72 12 10 pieces 14 72 13 50 pieces



Super steel hangers

Manufactured of 2 mm thick, nickel-plated steel. Supplied with the necessary panhead screws, screw length 13 mm.


Art. no.	Size	Height	Packed per
14 75 10	Small	51 mm	200 pieces
14 75 15	Small	51 mm	2 pieces
14 75 20	Large	89 mm	200 pieces
14 75 25	Large	89 mm	2 pieces



Hanging set for wooden frames

Art. no. 14 77 10


Set consists of 2 super steel plates small (14 75 10) with 4 screws, 1.2 meters **Durasteel** No. **5** (14 62 50) and 2 small ferrules (17 20 10)



Strap hangers wide

To hang extra heavy objects. Plate width 16 mm. Including the required panhead screws, screw length 16 mm.

Art. no.	Type	Height	Packed per
14 80 10	1-hole	43 mm	100 pieces
14 80 15	1-hole	43 mm	2 pieces
14 80 20	2-holes	54 mm	100 pieces
14 80 25	2-holes	54 mm	2 pieces
14 80 30	3-holes	90 mm	100 pieces
14 80 35	3-holes	90 mm	2 pieces



Mega-strap hanger

Art. no. 14 82 00


To hang extremely heavy objects.

Manufactured from 1.5 mm thick galvanized steel.

Total length 160 mm, width 40 mm.

Maximum picture weight approx. 90 kg. Packed per 2 pieces.


Complete with the required panhead screws, with a screw length of 40 mm.




Strap hangers, narrow

To hang heavy objects in narrow frames. Plate width 10 mm. Including the required flathead screws, with a screw length of 13 mm. Packed per 100 pieces.

Art. no.	Type	Height
14 85 10	1-hole	31 mm
14 85 20	2-holes	46 mm
14 85 40	4-holes	78 mm











Security sets

For wood: a 17-piece set for the secure hanging of wooden frames. Can only be fixed and disconnected with a special key. Set is without a key.

Art. no.	Packed per
14 90 10	1 set
14 90 11	100 set

For aluminium: an 8-piece set for secure hanging of aluminium frames. Can only be fixed and disconnected with a special key.
Set is without a key.

Art. no.	Packed per
14 90 20	1 set
14 90 21	100 set

Special key for security sets

Art. no.	Packed per
14 90 25	1 pieces
14 90 26	100 pieces

Loose parts for security sets, per piece. Art. no.


, ti ti 1101	
14 90 12	T-screw
14 90 13	Frame plate
14 90 14	Wall plate
14 90 15	Wall plug for T-screw
14 90 16	Screw for frame plate
14 90 17	Screw for wall plate
14 90 18	Wall plug for wall plate
	. 3

Art. no.		Packed per
14 90 32	T-screw	100 pieces
14 90 33	Frame plate	100 pieces
14 90 34	Wall plate	100 pieces
14 90 35	Wall plug for T-screw	100 pieces
14 90 36	Screw for frame plate	200 pieces
14 90 37	S <mark>cr</mark> ew for wall plate	100 pieces
14 90 38	Wall plug for wall plate	100 pieces

Picture plates

For the secure hanging of wooden frames, is often used in cafes and restaurants. Manufactured of 1 mm thick steel, height 32 mm, width 31 mm. With screw holes of 3 mm diameter.

Art. no.	Packed per	Colour
14 90 50	100 pieces	Brass plated
14 90 51	1,000 pieces	Brass plated
14 90 60	100 pieces	Bronze plated
14 90 61	1,000 pieces	Bronze plated



Security hanger

Art. no. 14 90 00 Brand Frame Tek

Set of 4 brackets. For the secure hanging of aluminium frames.

Corner hangers for wooden frames

Brand Wall buddies

Made of chrome-plated steel.

Add these plates on both corners of a wooden or metal frame so it can always be levelled.

Packed per 25 hooks left and 25 hooks right. Screws not included.



For narrow wooden frames with a profile width starting at 10 mm.



Art. no. 14 87 20


For broader wooden frames.





Corner hanger for metal frames

Art. no. 14 87 30

For aluminium profiles, such as profile 11 etc. To be placed under(!) the tapped corners.








Art. no.	No.	Type	Colour
14 95 10		Oblong small	Brass
14 95 20	2	Hexagon	Brass
14 95 25	2	Hexagon	Bronze
14 95 30	3	Flower	Brass
14 95 35	3	Flower	Bronze
14 95 40	4	Oblong large	Brass
14 95 45	4	Oblong large	Bronze
14 95 50	5	Cable	Brass
14 95 55	5	Cable	Bronze


L-plate with hanger



Art. no. 15 65 00 Steel model with 7 holes. For stronger mitres,

serves also as a hanger. Size 75 x 18 x 2 mm.

Packed per 25 hooks left and 25 hooks right, including the required flathead screws, screw length 16 mm.





10)

Spring retaining clips

Flat, curved model. Manufactured from nickel-plated spring steel.

Art. no.	Length	Packed per	Prefered screw
15 31 10	2 cm	100 pieces	15 70 10
15 31 11	2 cm	1,000 pieces	15 70 10
15 31 20	3 cm	100 pieces	15 70 10
15 31 21	3 cm	1,000 pieces	15 70 10
15 31 30	4 cm	100 pieces	15 70 15
15 31 31	4 cm	1,000 pieces	15 70 15
15 31 40	5 cm	100 pieces	15 70 15
15 31 41	5 cm	1,000 pieces	15 70 15
15 31 50	6 cm	100 pieces	15 70 15
15 31 51	6 cm	1,000 pieces	15 70 15
15 31 60	7 cm	100 pieces	15 70 20
15 31 61	7 cm	1,000 pieces	15 70 20
15 31 70	8 cm	100 pieces	15 70 20
15 31 71	8 cm	1,000 pieces	15 70 20

Spring clips special

Angled, curved model. Made of blued spring steel. Length 6 cm.

Art. no.	Packed per	Prefered screw
15 32 10	100 pieces	15 70 20
15 32 11	1,000 pieces	15 70 20
As above, hower Art. no. 15 34 10 15 34 11	ver, nickel-plated. Packed per 100 pieces 1,000 pieces	Prefered screw 15 70 20 15 70 20

Spring clip nickel

Art. no. 15 33 10

Flat, downward curved model.

Manufactured from nickel-plated spring steel. Length 6 cm.

Packed per 100 pieces.

Spring clips for oil paintings

Round curved model. Made of blued spring steel. Length 7 cm.

Art. no.	Packed per	Prefered screw
15 35 10	100 pieces	15 70 20
15 35 11	1,000 pieces	15 70 20


As above, however, nickel-plated.


Art. no.	Packed per	Prefered screw
15 36 10	100 pieces	15 70 20
15 36 11	1.000 pieces	15 70 20

Nylon ring

Manufactured of moisture and corrosion resistant nylon. To be placed between wooden frame and spring clip, according to museum requirements, to protect the wood.

Art. no.	Packed per
15 37 10	100 pieces
15 37 11	1,000 pieces







Off-set clips, manufactured of 1 mm thick chrome plated steel, with 2 screw holes.

Used to fasten stretch frames in shallow frames, or in deep frames.


Art. no.	Height	Pac <mark>ked per</mark>
15 40 05	0 mm	100 pieces
15 40 06	0 mm	1,000 pieces
15 40 10	2 mm	100 pieces
15 40 11	2 mm	1,000 pieces
15 40 20	5 mm	100 pieces
15 40 21	5 mm	1,000 pieces
15 40 25	7 mm	100 pieces
15 40 26	7 mm	1,000 pieces
15 40 30	9 mm	100 pieces
15 40 31	9 mm	1,000 pieces
15 40 35	12 mm	100 pieces
15 40 36	12 mm	1,000 pieces
15 40 40	14 mm	100 pieces
15 40 41	14 mm	1,000 pieces
15 40 50	18 mm	100 pieces
15 40 51	18 mm	1,000 pieces
15 40 60	25 mm	100 pieces
15 40 61	25 mm	1,000 pieces



Bendable fixing plates

Made of brassed tin.

Art. no.	Size	Height	Packed per
15 45 10	1	25 mm	100 pieces
15 45 11	1	25 mm	1,000 pieces
15 45 20	2	36 mm	100 pieces
15 45 21	2	36 mm	1,000 pieces
15 45 30	3	43 mm	100 pieces
15 45 31	3	43 mm	1,000 pieces




0

0

L-plates

Steel model with 4 sunken boreholes. For strengthening mitres. Including the required flathead screws, screw length 16 mm. Packed per 100 pieces.


Art. no.	Size
15 60 05	35 x 35 x 9 x 1.5 mm
15 60 10	50 x 50 x 9 x 1.5 mm
15 60 20	75 x 75 x 12 x 1.5 mm



L-plate with hanger

Art. no. 15 65 00 Steel model with 7 holes. For strengthening mitres, also serves as hanger. Size 75 x 18 x 2 mm.
Packed per 25 hooks left and 25 hooks right, including the required panhead

screws, screw length 16 mm.



Hinges

Brass plated model with 4 screw holes. For pairing e.g. 2 or more picture frames. Packed per 100 pieces.

Art. no.	Size	Recommended screw
15 67 60	15x20 mm	15 69 10/1 <mark>5 69 20</mark>
15 67 70	15x25 mm	15 69 10/15 69 20
15 67 80	15x30 mm	15 69 10/15 69 20



Screws for wood

Brass plated model with flat head. Particularly suitable for hinges, bendable fixing plates and triangle hangers. Packed per 500 pieces.

Art. no.	Size
15 69 10	1.4x 7 mm
15 69 20	1.6x10 mm



Black, panhead Phillips 1 model, with sharp-cut thread. Ideal for sample hooks, sawtooth hangers, hinges, bendable fixing plates, retaining clips and triangle hangers. Packed per 500 pieces.

Art. no.	Size	Recommended bit
15 70 10	2.0 x 6 mm	15 78 10
15 70 15	2.5 x 8 mm	15 78 10
15 70 20	3.0 x 9 mm	15 78 10

Screws for wood



Countersunk pozi, steel hardened with lubrication film. Shiny model. For screw hangers, screw plates, sawtooth hangers, angle plates. The screw 3.0 x 20 mm is particularly suitable for securing stretcher frames in a deep frame.



Art. no.		Size	Packed per	Prefered bit
15 75 10	3.0 x 13	mm	400 pieces	15 78 30
15 75 20	3.0 x 16	mm	200 pieces	15 78 30
15 75 30	3.5 x 16	mm	200 pieces	15 78 40
15 75 40	4.0 x 16	mm	200 pieces	15 78 40
15 75 50	3.0 x 20	mm	200 pieces	15 78 30
15 75 60	3.0 x 25	mm	200 pieces	15 78 30
15 75 70	3.0 x 30	mm	200 pieces	15 78 30



Panhead Pozi 1, steel hardened with lubrication film.

Shiny galvanized model.

For hanging plates, screw brackets, angle plates, etc. Packed per 200 pieces.

Art. no.	Size	Prefered bit
15 77 15	3.5 x 13 mm	15 78 40
15 77 30	3.5 x 16 mm	15 78 40
15 77 40	4.0 x 16 mm	15 78 40
15 77 50	4.0 x 20 mm	15 78 40
15 77 70	4.0 x 30 mm	15 78 40
15 77 90	5.0 x 40 mm	15 78 40



Screw bits

Top quality, made of through-and-through hardened steel. Length 50 mm.

Art. no.	Name	suitable 1	for screws			
15 78 10	Phillips nr. 1	15 70 10	15 70 15	15 70 20		
15 78 30	Pozidriv nr. 1	15 75 10	15 75 20	15 75 50	15 75 60	15 75 70
15 78 40	Pozidriv nr. 2	15 75 30	15 75 40	15 77 30	15 77 40	15 77 50



Spring mate


Art. no. 15 80 50 Brand Fletcher type 09.519 Easy tool for placing and removing bow springs in and out of metal side loader frames.



Object-holders

Frame sets for various items, such as e.g. coins, weapons, antique cutlery, and all kinds of other objects. Made of clear plastic.

Art. no.	Description
15 85 10	For 12 coins, in 4 sizes
15 85 20	For a knife or dagger
15 85 30	For 6 spoons, etc.
15 85 40	For a gun
15 85 50	For multi purpose, 12 clamps in 2 sizes
15 85 60	For 4 small or 3 large plates



Frame strap

Art. no. 15 97 00 Specially developed for strengthening large wooden or aluminium frames. Connect the top to the bottom, to prevent any bending.

Mitre Clamp Pliers

GLUE CONTAINER

BONDING AND CLAMPING

GLUE FOR WOOD

Mitre Clamps

BAND CLAMP

brush

Mitre clamps

Manufactured from sharpened spring steel.

Art. no.	Type	For frame width
16 10 10	Small	up to 15 mm
16 10 20	Large	up to 25 mm



Mitre clamps pliers

Art. no. 16 15 00 Only to be used with mitre clamps A to F



Mitre clamps

Manufactured from sharpened spring steel.

Art. no.	Type	For frame width
16 15 10	170/A	10 to 15 mm
16 15 20	170/B	15 to 25 mm
16 15 30	170/C	20 to 30 mm
16 15 40	170/D	25 to 45 mm
16 15 50	170/E	40 to 70 mm
16 15 60	170/F	65 to 90 mm



Band clamp

Art. no. 16 30 00

Made of polyamide with a textile band of 7 meters length, complete with 4 vario corners from 60° to 180°.



Wood glue

Brand Dorus, type ML 70

Colourless drying wood glue, with a clamping time of 5 minutes and a drying time of 2 hours.

Art. no.	Packed per
19 10 10	1 kg can
19 10 11	12 kg bucket



Glue container

Art. no. 19 15 00

Adhesive holder, capacity 1.5 litres, in which the glue will not dry out. Totally plastic model, complete with glue brush.

Brush

Art. no. 19 15 05

With wooden handle and plastic sleeve, especially for the glue container.

Rubber Roller

sandpaper

steel wool



Magnetic tip hammer

Art. no. 17 10 00


Manufactured of chrome-plated steel with non-decreasing magnetic force. Blank lacquered wooden handle, length 28 cm. Weight 180 gr.



Soft faced hammer

Art. no. 17 11 00


A hammer with 2 plastic caps for light work, such as putting together stretcher bars etc. Weight 160 gr.



Scissors


Art. no. 17 14 10

Light model. Manufactured from stainless steel with plastic eyes. Suitable for both left and right-handed use. Total length 28 cm.



Art. no. 17 14 20

Heavy duty, professional model of stainless steel with "soft-grip" eyes. Suitable for both left and right-handed use. Total length 30 cm.



Stretcher pliers

Art. no. 17 15 00

Chrome-plated model with spring and locking strap, professional quality. Length 195 mm. Jaw width 64 mm.



Art. no. 17 17 00

Chrome-plated model with spring, budget quality. Length 20 cm, jaw width 6 cm.



Art. no. 17 18 00

Chrome-plated model with extra wide jaw. Length 20 cm, jaw width 12 cm.



Ferrules pliers

Art. no. 17 20 00 To tighten rope clamps.



Ferrule small

Nickel-plated model, length 10 mm. Inner diameter 2.5 mm. Suitable for steel wire with rope clamps code 1 (see page 27 and 28)

Art. no. Packed per 17 20 10 100 pieces 17 20 11 1,000 pieces



Ferrule large

Nickel-plated model, length 10 mm. Inner diameter 3.3 mm. Suitable for steel wire with rope clamps code 2 (see page 27 and 28)

Art. no. Packed per 17 20 20 100 pieces 17 20 21 1,000 pieces



Cutting pliers

Art. no. 17 22 00 Brand **Knipex**

Made of tempered steel.

With polished head and multi-component handles.

Total Length 16 cm.



Tape measure

Art. no. 17 26 00

Yellow enamel mm/cm/dm measure tape, length 3 meters, in impact-resistant plastic housing, equipped with blockage.

Folding ruler

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18

Art. no. 17 30 00

Wooden model, white lacquered, with springs.

Length 2 meters with mm/cm scale.





Art. no. 17 32 00

White plastic model, with brass hinges and end cap.

Length 1 meter with mm/cm scale.



Utility knife

Art. no. 17 34 00

Retractable metal model with rubber grip. Self-loading, complete with 10 blades.




Spare blades

Art. no. 17 35 00

Long, straight model. Suitable for all utility knives.

Packed per 100 blades.



Snap-off knife, small

Art. no. 17 39 00

Universal plastic model with rubber grip and metal interior. Self-loading, complete with 3 blades, blade width 9 mm.




Snapp-off blades, small

Art. no. 17 39 10

Universal model, blade width 9 mm.

Packed per 10 pieces.



Snap-off knife, large

Art. no. 17 40 00

Universal plastic model with rubber grip and metal interior. Self-loading, complete with 3 blades, blade width 18 mm.



Art. no. 17 40 10

Universal model, blade width 18 mm.

Packed per 10 pieces.

Snapp-off blades, large



Cutting mats

Made of 3 mm thick plastic. With self-closing cutting surface, cutting solid core and working guides.

Art. no.	Size	Printed
33 12 20	30 x 46 cm	2-sided
33 12 30	46 x 61 cm	2-sided
33 12 40	61 x 91 cm	2-sided
33 12 60	91 x 121 cm	2-sided
33 12 65	100 x 150 cm	1-sided
33 12 70	100 x 200 cm	1-sided



Aluminium cutting rulers

With clear mm / cm graduation, anti-slip rubbers, suspension eye and steel cutting edge. Safe for fingers and hands, thanks to the high raised and curved edge.

Art. no.	Cutting length
17 80 30	105 cm
17 80 40	1 <mark>55 cm</mark>
17 80 50	205 cm




Sandpaper

Art. no. 17 50 20

Brand Sia. On sheets of 23 x 28 cm. Painting quality dry grinding paper with sharp open-sprinkled grain, grit 100.

Packed per 100 sheets.



Sanding block


Art. no. 17 55 00 A foam block with sanding material, grit P80/120, for removing light scratches on wooden frames. Size 100 x 70 x 27 mm.



Burnishing block

Art. no. 17 56 00 Particularly suitable for removing light scratches and damage on high-gloss aluminium frames. Size 80 x 50 x 20 mm.






Brand Liberon

This steel wool is made of the highest quality steel and is almost 100% free of oil and fat.

Art. no.	Grit	On rolls of
17 61 10	0000	250 gram
17 61 20	000	250 gram
17 61 30	00	250 gram
17 61 40	1	250 gram
28 95 11	0000	1.000 gram



Rubber roller

Art. no. 17 65 00 An ideal tool for attaching photos etc. Made of soft foam rubber, with a plastic handle. Width 145 mm, diameter 45 mm.

Presse-papier

Art. no. 17 75 10

For holding rolled papers flat. A black metal weight of 800 grams with velour covered bottom side, to avoid damage.

OIL

GLASS CUTTING OIL

GLASS CUTTING

99

CUTTING GLASS

spare wheels

Circular glass cutter

glass vacuum clamp

HAND SEAMING TOOL

Glass cutters



Art. no. 18 10 00 Brand Silberschnitt type 100

Equipped with rosette with 6 steel wheels.

Spare wheel

Art. no. 18 10 10

Brand Silberschnitt, type 100 Packed per 12 pieces.



Art. no. 18 15 00

Brand Silberschnitt type 400

Equipped with rosette with 1 tungsten carbide wheel.



Spare wheel

Art. no. 18 15 10

Brand Silberschnitt type 400



Art. no. 18 20 00

Brand Toyo type TC 17 B

Copper handle, which also serves as a cutting oil tank.

With interchangeable head, equipped with a tungsten carbide wheel.

For glass thickness of 2 to 10 mm.



Spare head

Art. no. 18 21 10

For Toyo, type TC 17 B and TC 17 P



Circular glass cutter

Art. no. 18 30 20



Heavy copper model with vacuum suction cup. Cutting diameter from 65 mm to 600 mm. Cutting unit has a rosette, with 6 steel wheels.



Glass cutting oil

Art. no.	Content
18 35 10	50 ml
18 35 11	1.000 ml



Glass handling gloves

Very flexible **Kevlar** gloves with extreme strong grip. To handle glass panes From 2 and 3 mm thickness. Cut level 3.


Art. no.	Size
19 99 20	M/8
19 99 30	L/9
19 99 40	XL/10



Glass breaking pliers

Art. no. 18 40 00


Excellent quality forged steel with a flat beak. Total length 20 cm. Beak width 28 mm.



L-squares

Made of impact-resistant plastic, with enforcement, made out of one piece. Always stays at straight angles.

Art. no.	Cutting length up to
18 50 10	70 cm
18 50 20	90 cm
18 50 30	110 cm
18 50 40	125 cm



Production glass cutting gauge

Art. no. 18 55 20

For cutting multiple glass plates of the same size with a cutting length up to 80 cm.

Made of impact-resistant plastic, with bottom and upper scale.



Glass cutters rule

Art. no. 18 60 00

Made of wood, with clear mm/cm/dm-scale.


Cutting length up to 100 cm.

Complete with adjustable handle with brass stop pad.

Spare handle

Art. no. 18 60 10

Complete with brass stop pad and screw.



Hand seaming tool

Art. no. 18 65 00

Made of impact-resistant plastic. A useful tool for un-sharpening glass edges, e.g. when using Reisaco frameless clips. Continuously adjustable on glass thickness.

Equipped with 2 round grinding stones.



Glass suction lifter

Art. no. 18 70 00

To effortlessly move glass panels.

Diameter 83 mm.



Triangle points

Art. no. 18 75 10 Triangle model, 11 mm.

Suitable for Columbus glass pin machines, Fletcher, Ka-Ha and Pointix point drivers. In boxes of 2,700 pieces.

LINECO®

LINECO products are among the absolute top when it comes to gomded or self-adhesive tapes and adhesive products.

All materials used by LINECO such as paper, textiles, linen, plastic and glues are completely acid-free and therefore suitable for framing at a conservation level, and some even at museum level.









When to use gummed adhesive tapes:

With water activated adhesive tapes, the first choice for very valuable prints because the adhesive power is higher than standard adhesive tapes, and because at any time it can be removed with water.


Also, fluctuations in temperature or humidity have no influence on the adhesive effect.




When to use self-adhesive tapes:

Suitable for less valuable prints or if the paper should not to get in contact with water, such as e.g. at Giclee prints






V Hinge: When paper edges must remain visible.



T Hinge: Hanging is covered by the mat.



Hidden Hinge: Strong and invisible hanging.

tissue tape

gmmed paper

VOLARA tyvek

LINECO_®

frame sealing tape

GUMMED LINEN

ATG TAPE

Japanese gum paper

Art. No. 40 10 00

MUSEUM NIVE A U

Japanese Mulberry paper, Hayaku brand. For a thin, yet strong and smooth suspension of heavy of large prints, watercolors, collages, etc.

Roll width 25 mm, length 30.50 meters.



Mulberry paper


Art. no. 40 60 00

Non-adhesive Japanese paper of the mulberry tree, Methyl cellulose or wheat starch makes it adhesive. For a thin yet strong and smooth hanging of heavy or large prints, watercolours, compositions etc. with a V-Hinge or T-Hinge.

Width 25 mm, Length 30.50 meters.



Can also be used untreated in combination with Lineco gum paper or gum linen for picture corners for prints.





This product is preferable to make Japanese paper adhesive. The powder must be mixed with distilled water. It dries colourless. Packed in a plastic jar of 57 gr.



Wheat starch

Art. no. 40 69 20

Made of wheat starch. To create an adhesive layer on Japanese paper, for hanging of heavier prints.

This powder must be cooked in distilled water.

Packed in a plastic jar of 227 gr.



abaca.sa

MUSEUM NIVE A U



Gummed paper

Art. no. 40 13 00 Suitable for lighter and smaller prints, watercolours and

Width 25 mm, length 39.60 meters.

for more valuable printed art.



Gummed linen

White linen with a very high adhesive effect. For extra heavy prints, watercolours, compositions, etc.

Art. no.	Size
40 16 10	25 mm x 9.15 meter
40 16 20	25 mm x 45.00 meter
40 16 40	38 mm x 91.50 meter



Linen tapes

Self adhesive white linen tape for standard hangings and for mounting hinged mats.

Art. no.	Size
40 19 10	32 mm x 10.70 meter
40 19 20	32 mm x 45.70 meter

Art. no. 40 19 40

As above, however, colour black. For extra large and heavy hangings. Width 32 mm, length 10.70 meters.



Abaca paper tape

Art. no. 40 23 00

Self-adhesive Abaca paper, is strong and yet very smooth, very suitable for giclee printing.

Width 22 mm, length 45.70 meter.



Frame Sealing Tapes

Self-adhesive aluminium tape for covering untreated parts of wooden frames, such as the rebate and the back but also for e.g. fillets, for protection against acids. Colour grey.

Art. no.	Size
40 29 10	32 mm x 26 meter
40 29 11	32 mm x 153 meter
40 29 20	89 mm x 26 meter

Art. no. 40 29 50

As above, colour white. Width 32 mm, length 26 meter.



Tissue adhesive tape

Art. no. 40 26 10

Self adhesive, very thin tissue paper that after applying will be almost invisible. Particularly suitable for papyrus, paper, Japanese paper, etc.

Width 25 mm, length 10.70 meter.

i-Film frame sealing tape

Art. no. 40 32 00 Adhesive tape equipped with a copper coating for protection against acids, fungi and corrosion forming gasses.

Width 32 mm, length 26 meter.





Tyvek tape

Art. no. 40 35 10 Self-adhesive white plastic (polyethylene) tape with a very high adhesive power. It will stick, even in extreme circumstances.

Width 25 mm, length 45.70 meters.



Volara foam rebate tape

Art. no. 40 38 00 Self adhesive, 0.7 mm thick foam tape, to apply in the rebate to protect the object to be framed.

Width 6 mm, length 33 meters.



Document repair tape

Art. no. 40 41 00 Self-adhesive, very thin clear paper tape for the unobtrusive repair of torn prints etc. Easy to use, place the adhesive tape over the crack and gently rub it with a burnishing bone. (Art. no. 23 91 50)

Width 25 mm, length 10.65 meters.



Neutral pH adhesives

MUSEUM NIVEAU This white glue is used, among other things, for pasting collages, double mats and objects into a frame.

Art. no. Packing 40 43 20 Spray bottle 227 gram 40 43 30 Bottle 946 gram



Neutral PVA adhesive

Art. No. 40 45 30 Water-based bookbinder glue, very useful for sticking paper on oil paint cloths and foam plates. This glue always remains somewhat flexible.

In spray bottle, content 454 grams.



pH Testing pen

Art. no. 40 46 00

With this pen, it can easily be determined if paper and cardboard are acid-free.

When drawing a line on paper it colours purple, to show the pH value is 6-8 or higher and therefore acid-free.




ATG-tape

Art. no. 40 49 10

For sticking prints and photos, and mounting of double mats etc.

Is used with transfer tape dispenser Art. no. 19 60 05

Width 12 mm, length 33 meters.



Frame backer paper

Replaces back-tap cardboard. With this paper, the back of a frame will completely be acid-free sealed. Colour grey.

Art. no. Size 40 52 40 60 cm x 1.8 meter 40 52 50 91 cm x 91 meter



Frame backer tyvek

Art. no. 40 55 00

As above, however, manufactured from polyethylene. This material is very strong and hard to damage. Protects the frame against moisture and insects. Colour blue grey.


Width 91 cm, length 64 meters.



Mounting strips

Made of clear polyester. For securing prints and pictures without getting in touch with glue. Easy to cut to size. Packed per 60 pieces.

Art. no.	Size
40 58 10	10 cm
40 58 20	30 cm



Mounting corners

Self-adhesive transparent mounting corners of polypropylene.

Art. no.	Size	Packed per
40 59 20	32 mm	250 pieces
40 59 30	76 mm	100 pieces



As above, but made of polyester with a closed corner.

Art. no.	Size	Packed per
40 59 50	13 mm	240 stuks



As above, also made of polyester, but with open corners, to avoid the framed picture to get damaged.

Art. no.	Size	Packed per
40 59 60	35 mm	240 stuks

ATG TAPE

TAPES AND RELATED SUPPLIES

Double Sided tape

ACID-FREE

Glue solvent

glass guard

Japanese paper




ART GUIDES

Japanese paper

Art. No. 19 17 20

Real Japanese white tissue paper, waterproof. For double-sided restoration of damaged prints.

Width 100 cm, length 50 meters.



Aerosol spray adhesives

Art. no. 19 20 11 Brand Ofif, Type 303

For sticking pictures, prints, posters etc. In 400 ml spray cans. The glue does not contain poisonous or irritant substances.

The glue is colourless, and not dangerous to the environment.



Art. no. 19 20 90 Brand Ofif type DK5

Used to remove adhesive residues on e.g. worktop, scissors, knives etc. In 125 ml spray can.



Masking tape

Water- and heat resistant up to 80°C. On rolls of 50 meters. Price per role.

Art. no.	Width	Packed per
19 30 30	19 mm	12 rol
19 30 40	25 mm	9 rol
19 30 50	30 mm	8 rol
19 30 60	38 mm	6 rol


Gummed tape



Manufactured from white gummed paper that, by adding water, becomes adhesive. On rolls of 200 meters.

Art. no.	Width
19 35 10	25 mm
19 35 20	36 mm
19 35 30	48 mm

As above, however, made of brown gummed paper.



Art. no.	Width
19 36 10	25 mm
19 36 20	36 mm
19 36 30	48 mm



Canvas frame tape

For fixing a stretcher frame when framing in a deep frame. Made of self-adhesive, colourproof linen tape.

Width 25 mm, length 50 meters.

Art. no.	Colour
19 38 11	Black
19 38 21	White

Width 50 mm, Length 50 meter.

Art. no.	Colour
19 38 12	Black
19 38 22	White



Acid free tape

Art. no. 19 45 00 Brand Framers-tape II

Completely acid-free, white plastic tape. Width 25 mm. On rolls of 66 meters length.



Tape dispenser

Art. no. 19 46 00 For rolling and keeping dust-free. Handles adhesive tape of up to 25 mm wide, such as Framers Tape and PH7-70 25. Equipped with brake and cutting head.




Acid free tape

Brand UK Tape, type PH7-70

A white, self-adhesive, acid-free paper tape. Remains in good condition over the years and is colour resistant. On rolls of 66 meters length.

Art. no.	Width
19 47 10	25 mm
19 47 20	38 mm
19 47 30	50 mm




Double sided tape

Brand Mapa, type Coll

Great adhesive power, very suitable for embroidery. On rolls of 25 meters length.

Art. no.	Width
19 50 02	12 mm
19 50 06	19 mm
19 50 11	38 mm
19 50 21	50 mm



Acid free, double sided tape

Art. no. 19 55 00 Brand Stitchery-tape

Acid-free, fleece-thin tape for sticking tapestry cloth. Width 38 mm, length 55 meters.



Fillet tape

Art. no. 19 56 00

An acid-free, double-sided tape for attaching fillets behind mats or in the rebate of the frame. Length 33 meters, width 6 mm.



Glassguard

Art. no. 19 57 00

A white, self-adhesive paper tape with a very low tack. Specially developed to secure delicate artwork at transport, to avoid risk of damage. Length 92 meters, width 50 mm.



Transfer-tape dispenser

Art. no. 19 60 05

Full plastic with pistol handle. To work with rolls of transfer tape.

ATG-tape

For fixing pictures, prints, etc.

Art. no.	Width	Length
19 60 10	12 mm	33 meter
19 60 20	19 mm	33 meter

As above, however, completely acid-free.

Art. no.	Width	Length
19 60 30	12 mm	30 meter
19 60 40	19 mm	30 meter



Superpaper kraft paper tape

Specially developed for sealing the back of frames, to keep them free of dust. Made of aging-resistant brown self-adhesive paper.

Art. no.	Width	Length
19 65 20	38 mm	50 meter
19 65 30	50 mm	66 meter



Museum felt

To stick in the rebate so that the object cannot have contact with the untreated wood, to prevent acid or gas degradation.

Made of acid-free, self-adhesive black felt.

Art. no.	Width	<u>Length</u>
19 70 10	8 mm	10 meter
19 70 20	10 mm	10 meter
19 70 30	15 mm	10 meter
19 70 35	20 mm	10 meter
19 70 45	25 mm	10 meter
19 70 50	500 mm	1.8 meter





Gudy 831 Fine Art Smooth

Acid-free mounting film for sticking on light, slightly structured fine-art paper types on various plate materials. Moisture stable, water-based and permanent adhesive. Can be processed manually or with a laminating machine.

Art. no.	Width	Length
19 39 10	9 mm	30 meter
19 39 20	19 mm	30 meter
19 39 30	38 mm	30 meter
19 39 40	400 mm	10 meter
19 39 50	610 mm	10 meter
19 39 60	830 mm	10 meter
19 39 70	1.040 mm	10 meter



Gudy 832 Fine Art Textured

Acid-free mounting film for sticking heavy, highly structured fine-art paper types on various plate materials. Can be processed manually or with a laminating machine. On rolls of 30.5 meters length.

Art. no.	Width
19 37 10	610 mm
19 37 20	914 mm
19 37 30	1.118 mm
19 37 40	1.270 mm



Filmoplast P90

Art. no. 19 40 00 To secure photos and prints in mounts. Acid-free, self-adhesive ultra-thin white paper. Width 20 mm, length 50 meters, in cardboard dispenser.

Art. no. 19 40 05

As above, but width 40 mm, and not in a cardboard dispenser.

Filmoplast P90 Plus

Art. no. 19 40 10

To secure heavier photos and prints in mounts.

Acid-free, self-adhesive ultra-thin white paper with particularly strong tack.

Width 20 mm, length 50 meters, in cardboard dispenser.



Filmoplast P

Art. no. 19 41 00

Used to repaire damage and cracks in prints, etc.

Acid-free, self-adhesive ultra-thin highly transparent paper.

Width 20 mm, length 50 meters, in cardboard dispenser.



Filmoplast SH

To secure extra heavy photos and prints in mounts. Also very suitable for making so-called hinged passe-partouts. Acid-free, self-adhesive white cotton textile tape. On rolls of 25 meters in length.

Art. no. Width 19 42 20 20 mm 19 42 30 30 mm



Filmoplast T

For covering passepartout edges, Foam-Biseaux strips and stretchers for in a deep rabbet frame.

Acid-free, self-adhesive cotton textile tape.

This tape is coloured through-and-through, so no white edges. Width 30 mm, length 10 meters.

Art. no.	Colour
19 43 10	Yellow
19 43 20	Red
19 43 30	Blue
19 43 40	Green
19 43 50	Brown
19 43 60	Grey
19 43 70	Black
19 43 80	White




Filmolux 609

Art. no. 19 44 20 With this tape you can make a dust-free package from glass, print and cardboard.

Acid-free, crystal-clear soft pvc. Width 30 mm, length 50 meters.

Only the red-marked framed roll is available.





towel rolls

gloves

CLEANING CLOTH

REISACO

CLEANING AND MAINTENANCE

GLASS CLEANER

SPECK GRABBER

anti-static

BRUSHES

towels




Art. no. 19 76 00

Brand Reisaco

Specially developed for framing companies, for cleaning glass etc.

Foams not excessive, and does not leave a film layer.

Dries up smoothly. In a 660 ml spray can.



With plastic handle. The brushes can be cleaned with water and shampoo, without effecting performance.

Art. no. Length 19 86 10 140 mm 19 86 20 280 mm



Tiger cloth

Art. no. 19 87 10

Size 25x45 cm, colour orange.

This anti-static cloth may only be used dry. The cloth can be cleaned in cold water.

Panther cloth



Art. no. 19 87 20

Size 25x45 cm, colour black.

This anti-static cloth may only be used wet, e.g.

in combination with Reisaco glass cleaner, Art. no. 19 76 00

or with anti-static liquid, Art. No 19 89 10.

The cloth can be cleaned in cold water.

Speck grabber



Art. no. 19 88 00

A unique tool for removing lints and dusts from behind the glass in a frame, without having to open it completely.

The small, soft and washable pad at the end of the 30 cm long handle has a slightly adhesive effect that pickes up the fluff.

Packed per 2 pieces in a plastic tube.



Anti-static cleaner


Art. no. 19 89 10

For cleaning and taking care of plastic products such as e.g. perspex. Prevents electrical charge and therefore attracting of dust.

In a plastic bottle of 500 ml.








A fabric glove made of non-abrasive and soft synthetic fibres which, even after washing, will always maintain their performance. Packed by pair.

Size
S/7
M/8
L/9



Very flexible **Keylar** gloves with extreme strong grip. To handle glass panes From 2 and 3 mm thickness. Cut level 3.

Art. no.	Size
19 99 20	M/8
19 99 30	L/9
19 99 40	XL/10



Museum gloves

Brand **Tegera**

Made of white cotton, with elastic in the back for a better fit. Washable. Used to avoid unnecessary contact between the skin and the object to be framed. Packed per 12 pairs.

Art. no.	Size
19 97 10	S/7
19 97 20	M/8
19 97 30	L/9
19 97 40	XL/10

As above, but with anti-slip vinyl nubs on the entire underside, including fingers and thumb. Ideal for cutting glass, and for a better grip when transporting glass, frames and other objects. Packed per 12 pairs.

Art. no.	Size
19 98 10	S/7
19 98 20	M/8
19 98 30	L/9
19 98 40	XL/10



Gloves

Art. no. 19 96 00

Manufactured from cotton with a universal size lining.


To prevent fingerprints and stains while cutting mats and mouldings. Packed per 12 pairs.



Disposable gloves

Art. no. 19 96 20

Made of latex in a universal size lining. Lightly powdered. Packed per 100 pieces in a dispenser box.



Towel dispenser

Art. no. 19 90 05 Made of stainless steel. Complete with mounting materials.

Towel rolls

Art. no. 19 90 10


Pure cellulose, double layered. Perforated every 40 cm. For drying and polishing glass. Width 23 cm, length 160 meters.



Cleaning cloth

Art. no. 19 95 00

Cellulose cleaning cloths for cleaning glass etc.
Drying without fluff or scratches. Size 32 x 37 cm.
Packed per 112 cloths in a handy dispenser box.



Renaissance wax

Art. no. 29 50 11

An acid-free wax for protecting all surfaces, such as wood, gilded objects, oil canvases, paper, photographs, metal and stone.

Packed in a 200 ml can.



Polier and repair paste

Art. no. 19 93 20

This product is used to remove light scratches and smudges from Plexiglass and acrylic glass.

Wax-free, easy to apply with cleaning cloths 19 95 00

In a tube of 200 ml.

corner protectors

FELT BUMPERS

STRETCH WRAP

PACKING AND PROTECTING

PLASTIC BAGS

PACKING TAPE

grip bags

TAPE DISPENSER

handy wrap



Tape dispenser

Art. no. 19 28 00

Suitable for adhesive tape up to 50 mm wide, such as packing tape, but also for e.g. Superpaper Art. no. 19 65 20 and 19 65 30

Packing tape

Art. no. 19 28 30

Clear adhesive tape for closing boxes and other packaging. Width 50 mm, length 66 meters.

Coreless handy wrap

A clear and very strong wrapping foil. Ideal for protecting frames and securing cardboard corners. Length 150 meters, width 100 mm. Complete with handle with adapter.



Packed per Art. no. 19 80 10 10 rol 40 rol 19 80 11

Handle with adapter

Art. no. 19 80 50

Only suitable for wrapping foil, available at **Reisaco**, without cardboard core.

Grip bags

Clear bags with grip closure. Thickness 50 microns. Packed per 100 pieces.



Art. no.	Size
19 82 10	6x 8 cm
19 82 20	7x10 cm
19 82 30	8x12 cm
19 82 40	10x10 cm
19 82 50	10x15 cm
19 82 70	12x18 cm
19 82 80	13x23 cm
19 82 90	14x15 cm
19 83 10	15x20 cm
19 83 15	16x23 cm
19 83 20	15x32 cm
19 83 30	28x32 cm
19 83 40	30x40 cm



Cardboard corners

Pre-formed, sturdy protective corners made of 1.8 mm thick one-sided white corrugated cardboard. Delivered flat without residual waste, and are very easy to fold.

Equipped with two foldable flaps which increase this product to better stay in place.

All sizes are delivered in a space-saving box measuring only 48x33x21 cm.

Art. no.	Width	For height	Packed per
25 40 10	57 mm	to 11 mm	1,450 corners
25 40 20	57 mm	to 15 mm	1,450 corners
25 40 30	60 mm	to 19 mm	1,225 corners
25 40 40	65 mm	to 24 mm	1,000 corners
25 40 50	65 mm	to 29 mm	1,000 corners
25 40 60	115 mm	to 37 mm	300 corners
25 40 70	108 mm	from 50 to 70 mm	300 corners



Protective corner Vario

Art. No. 25 10 70

Pre-creased 3 mm thick one-sided white corrugated cardboard. Folds around the corner of a wooden frame and then stapled at the back. Width 130 mm, for a variable height up to 70 mm. Packed per 750 pieces.



Rubber bumpers

Art. no. 25 20 00

Clear clear dome bumpers, diameter 12 mm, height 5 mm. To be attached at the back of a frame, to avoid damaging walls, e.g. by the sharp corners of aluminium frames. Permanent attached, and water resistant. Packed per 100 pieces.



Felt bumpers

Made of self-adhesive grey felt, size 16x16x2.8 mm.

Art. no.	On rolls of
25 30 10	500 pieces
25 30 11	5,000 pieces

POLISHING CREAM

LATEX

wood touch-ups

REPAIR, RESTORE AND COLOUR RETOUCH

WAX FILLER STICKS

Gilt Varnish

Colour markers

LEATHER CREAM

nail hole filler

Nail hole filler



Medium hard wax for filling holes. Packed in tins of 57 grams.



Art. no.	Colour
20 10 10	Gold
20 10 20	Dark gold
20 10 30	Silver
20 10 40	Black
20 10 50	Grey
20 10 60	Ivory
20 10 70	Mahogany
20 10 80	Blond maple
20 10 90	Dark provincial maple
20 11 00	Medium maple
20 11 10	Red maple
20 11 20	Natural
20 11 30	Light oak
20 11 40	Wallnut
20 11 50	Dark wallnut
20 11 60	White
20 11 80	Green
20 11 90	Orange
20 12 00	Red
20 12 10	Turquoise
20 12 20	Yellow




As above, however in large plastic pots, approx. 450 gram.

20 16 10	Gold
20 16 20	Dark gold
20 16 30	Silver
20 16 40	Black
20 17 40	Wallnut
20 17 50	Dark wallnut
20 17 60	White

Rub'N Buff

Metallic paste wax. To retouch and restore frames. In tubes of approx. 15 cc.



Art. no.	Colour
20 25 10	Grecian gold
20 25 20	Gold leaf
20 25 30	Antique gold
20 25 40	Silver leaf
20 25 50	Ebony
20 25 60	Autumn gold
20 25 90	European gold
20 26 10	Antique white
20 26 20	Pewter
20 26 30	Spanish coppe





Wax filler sticks

Medium hard wax, for filling holes, weight 15 grams.

Art. no.	Colour		
20 20 03	03 - Antique silver		
20 20 04	04 – Middle silver		
20 20 05	05 - Dark silver		
20 20 06	06 - Silver gold		
20 20 07	07 - Gold brass		
20 20 08	08 - Light Antique	g	old
20 20 09	09 - Antique gold	Ĭ	
20 20 10	10 - Dukaten gold		
20 20 11	11 - Copper		
20 20 30	30 - Dark copper		
20 20 31	31 - Dark Antique	q	old
20 20 32	32 - Light gold	_	
20 20 33	33 - Green gold		
20 20 37	37 - Bronze		
20 20 39	39 - English silver		
20 20 40	40 – Light silver		

Brush 'N Leaf

Metallic paint in glass bottles of approx. 30 ml. For finishing, or retouching frames.

Colour
Gold leaf
Antique gold
Silver leaf
Brass gold
Old gold

Polishing cream

Based on gold and silver powder.

Apply thin and even to a frame with a soft cloth. After a drying time of approx. 2 hours, the frame can be polished with a soft cloth, resulting in a metallic gloss. In glass bottles, content 25 ml.

Art. no.	Colour
20 40 10	Natural copper
20 40 20	Silver
20 40 50	Light gold
20 40 60	Rich gold
20 40 70	Rich light gold
20 40 80	Dukaten gold
20 40 90	Gold
20 41 10	Lemon gold
20 41 20	English green gold







CJ Paste

A soft paste for filling narrow gaps, minor damages and spots. Water-based, so easy to use and easy to clean. In tubes of 50 ml.

Art. no.	Colour
20 50 10	01-Gold
20 50 20	02-Silver
20 50 30	03-Black
20 50 40	04-Rich brown
20 50 50	05-White
20 50 60	06-Natural brown
20 50 70	07-Champagne
	• •



Table Display

Art. no. 20 50 90 In this display 8 tubes CJ Paste can be stored.



Baroque Art Gilders Paste

Gilders Paste is a soft wax for updating superficial damage, or for the whole colouring of frames, and should be applied with a soft cloth. The wax is hand-dry after 15 to 30 minutes. It can stay mat, or polished shiny after drying. Packed in tins of 27 ml.

Art. no. 20 30 10 20 30 30 20 30 50 20 30 60 20 30 70 20 30 90	Colour name African Bronze Apricot Bronze Canary Yellow Celtic Bronze Coral Red	Colour Green-gold metallic Abricot Light yellow bronze metallic Warm yellow Light green brons metallic Dark coral red
20 31 20	Damson	Dark purple
20 31 30	Fou <mark>nd</mark> ry Bronze	Brown bronze metallic
20 31 40	Ger <mark>ma</mark> n Silver	Light gold with silver metallic
20 31 50	Gold	Traditional gold metallic
20 31 60	Inca Gold	Light brass metallic
20 31 70	Iris <mark>Blue</mark>	Dark blue
20 31 80	Orange	Orange
20 31 90	Patina	Antique copper
20 32 10	Pinotage	Dark red-brown
20 32 20	Rich Gold	Rich gold metallic
20 32 30	Rust	Brown with orange glare
20 32 40	Sandelwood	Dark brown
20 32 50	Silver	Silver metallic
20 32 60	Slate	Rich light blue
20 32 70	Tulip Red	Warm red
20 32 80	Verdigris	Dark green
20 32 90	Violet	Light purple
		• • •

Colour card is available on request



Filling paste

A white, very fine and fast-drying water-based shrink-free paste, for filling mitres and repairing damage to frames.

Art. no.	Tube content
21 60 10	400 gram
21 60 11	1,300 gram

Rubber latex

Art. no. 21 42 00 For making molds when restoring ornaments. Easy to apply with a brush. Packed in a plastic pot of 475 ml.



Plaster of Paris

Art. no. 21 43 00 Fine, white gypsum powder for making castings of rubber latex molds. To mix with water. Quick-drying. Packed in a box of 2,300 gram.

Wood touch-ups

Brand Reisaco

To retouch damage and the colouring of mitre edges.




retouch


Art. no. 22 10 10 22 10 20	Colour Middle brown Middle oak
22 10 30	Dark oak
22 10 40	Light wallut
22 10 50	Midle wallut
22 10 60	Dark wallut
22 10 70	Mahogany
22 10 80	Bali brown
22 10 90	Black
22 11 00	Wenge
22 11 10	Swamp oak
22 11 20	Teak
22 11 30	Anthracite
22 11 40	Middle grey

22 12 00 12 assorted markers






To draw lines on mats, colouring of mitre edges and retouch damage. Marker with pump mechanism, filled with non-glossy ink with pigment.



Art. no.	Colour	Tip	diameter
22 30 10	Gold		mm extra fine point
22 30 20	Gold	1.0	mm fine point
22 30 30	Gold	2.0	mm medium point
22 35 10	Silver	0.7	mm extra fine point
22 35 20	Silver	1.0	mm fine point
22 35 30	Silver	2.0	mm medium point
22 37 20	Copper	1.0	mm fine point
22 37 30	Copper	2.0	mm medium point
22 38 10	White	0.7	mm extra fine point
22 38 20	White	1.0	mm fine point
22 38 30	White	2.0	mm medium point

Glossy paint marker pens



Art. no.	Colour
22 25 10	White
22 25 20	Black

Stabilayout colour markers


Marker type 38

To retouch damage and for colouring of mitre edges.



Art. no.	Colour	Art. no.	Colour
22 20 11	Light cobalt blue	22 20 41	Dark blue
22 20 13	lce gre <mark>en</mark>	22 20 43	Foliage green
22 20 14	Naples yellow	22 20 44	Yellow
22 20 16	Light e <mark>m</mark> erald green	22 20 48	Carmine red
22 20 17	Heathe <mark>r pink</mark>	22 20 51	Turquoise blue
22 20 19	Purple	22 20 53	Blue green
22 20 22	Prussia <mark>n blue</mark>	22 20 54	Orange
22 20 23	Olive g <mark>re</mark> en	22 20 56	Pink red
22 20 26	Light p <mark>in</mark> k	22 20 57	Azure blue
22 20 29	Pink	22 20 63	Earth green
22 20 32	Ultramarine blue	22 20 64	May green
22 20 36	Emerald green	22 20 75	Sienna
22 20 38	Orange red	22 20 76	Light lime green
22 20 39	Gold ochre	22 20 87	Light lilac
22 20 40	Light red	22 20 90	Light blue grey





Pen type **68**. To retouch minor damage to wooden frames, and draw lines on mats. Tip diameter 0.7 mm.





Stabilayout colour pens

Art nr. 22 15 00

Metal box, with all the 40 colours.





Wax and polish remover

Removes old layers of wax, dirt, grease and smoke, without any effect on the original colour of the frame.

To be used in combination with **Liberon steel wool** 0000.

Packed in tin cans.

Art. no.	Content
28 10 00	250 ml
28 10 11	1,000 ml




Wood filler

To fill small holes and cracks in raw wood, before it is coloured with Palette wood dye or Black bison wax.

Water based, with wood pulp. Packed in cans of 125 ml.


Art. no.	Colour
28 13 10	Antique pine
28 13 20	Dark oak
28 13 30	Mahogany
28 13 40	Neutral







Art. no) .	No.	Colour
28 16	00	00	White
28 16	01	01	lvory
28 16	02	02	Light oak
28 16	03	03	Medium walnut
28 16	05	05	Mahogany
28 16	06	06	Teak
28 16	07	07	Dark mahogany
28 16	08	08	Medium oak
28 16	09	09	Dark walnut
28 16	10	10	Dark oak
28 16	12	12	Ebony
28 16	15	15	Light pine
28 16	16	16	Pine
28 16	19	19	Dark yew
28 16	21	21	Light walnut
28 16	23	23	Rosewood
28 16	50	50	16 bars assorted.





Art. no. 28 15 00 For applying wood filler, fill paste etc. These spatulas are softer than a slab knife, and therefore prevents further damage to the wood. Packed per 2 pieces: 48 and 74 mm wide.



Soft wax for retouching small, superficial damage, scratches and pits. On sticks of 15 grams.

Art. no.	No.	Colour
28 19 00	00	White
28 19 02	02	Light oak
28 19 03	03	Medium walnut
28 19 05	05	Dark mahogany
28 19 06	05D	Victorian mahogany
28 19 08	08	Medium oak
28 19 09	09	Dark walnut
28 19 10	10	Dark oak
28 19 14	14	Red cedar
28 19 18	18	Pine
28 19 21	21	Light walnut
28 19 25	25	Magnolia
28 19 62	62	Ebony
20 13 02	02	LDOITY
28 19 90	Metal bo	ox with 10 sticks assorted.
20 10 00	ctui b	on man 20 strents assorted.



TIBERON.

Gilt filler sticks

Wax, for filling holes and restoring minor damage to gold or silver frames. The wax is ready for use by kneading. On sticks of 25 grams.

Art. no.	Colou <mark>r name</mark>	Colour
28 22 10	Chantilly	Antique gold
28 22 20	Compiegne	Pale gold
28 22 40	Rambouillet	Oxidised gold
28 22 60	St. Ge <mark>rmain</mark>	Silver
28 22 70	Trianon	Bright gold
28 22 80	Versailles	Red gold



Fontenay base

Art. no. 28 25 00 Serves as a basis for Gilt varnish. Apply with a brush on a frame or on a damaged spot. Colour red. Packed in a 30 ml glass jar.



Gilt cream

A soft paste for retouch of superficial damage, or for the complete frame. Easy to apply with a brush or a soft cloth. Can either stay mat, or after 24 hours shiny polished. Packed in 30 ml glass jars.

Art. no.	Colour name	Colour
	Colour Hairie	
28 28 10	Chantilly	Antique gold
28 28 20	Complegne	Pale gold
28 28 40	Rambouillet	Oxidised gold
28 28 60	St. Germain	Silver
28 28 70	Trianon	Bright gold
28 28 80	Versailles	Red gold





Paint for retouching minor damage or e.g. for re-colouring ornaments and other parts. To be processed with a brush or a foam brush. Packed in 30 ml glass jars.

Art. no.	Colour name	Colour
28 31 10	Chantilly	Antique gold
28 31 20	Compiegne	Pale gold
28 31 40	Rambouillet	Oxidised gold
28 31 60	St. Germain	Silver
28 31 70	Trianon	Bright gold
28 31 80	Versailles	Red gold

Retouch cream



A soft cream for retouching superficial damage, and restoring colour on wooden frames. Packed in 30 ml glass jars.

Art. no.	Colour
28 34 10	White
28 34 20	Black
28 34 30	Dark mahogany
28 34 40	Light oak





Palette wood dye

Water-based wood dye for colouring untreated wood, the grain of the wood remains visible. Packed in cans of 250 ml.

Art. no.	Colour
28 40 10	Antique pine
28 40 20	Dark oak
28 40 30	Georgian mahogany
28 40 40	Golden pine
28 40 50	Light oak
28 40 60	Medium oak
28 40 70	Teak
28 40 80	Tudor oak
28 40 90	Victorian mahogany
28 41 10	Walnut
28 41 20	Yew
28 41 30	Ebony
28 41 40	White

Foam brushes

Made of grey foam, particularly suitable for applying **Gilt varnish** and **Palet wood dye.**

Art. no.	Width
28 41 90	25 mm
28 41 95	50 mm

Special effects wax

To apply over **Palette wood dye** to obtain an antique effect in the grain of the wood. The colour Verdegris can also be applied over **Gilt cream**. Packed in cans of 250 ml.

Art. no.	Colour
28 43 10	Liming (White)
28 43 20	Black patinating (Black)
28 43 30	Verdegris (Green)

Liming brush

Art. no. 28 43 90

Red copper steel wire brush for opening the grain of the wood to strengthen the result of Special effects wax.







Black bison wax

Wax, for soft or hard wood, both coloured and uncoloured.
When used over Palette wood dye or other already coloured frames, this will enhance the colour. For this purpose, colour should be used that is similar or darker than the existing colour.

The colour Black bison neutral can be used as a coating

after applying Special effects wax.

Packed in cans of 150 ml.

Art. no.	Colour
28 46 10	Clear
28 46 20	Dark oak
28 46 30	Georgian mahogany
28 46 40	Medium oak
28 46 50	Neutral
28 46 60	Teak
28 46 70	Victorian mahogany
28 46 80	Antique pine

As above, however, packed in cans of 500 ml.

Art. no.	Colour
28 46 51	Neutra



Beeswax

Beeswax based on pure turpentine. Suitable for both soft and hard wood, especially for pine and oak. Packed in 150 ml cans.

Art. no.	Colour
28 48 10	Clear
28 48 20	Dark oak
28 48 30	Antique pine



Spirit Sanding Sealer

Art. no. 28 49 00

Used to prevent untreated wood from absorbing too much material such as e.g. dyes.

Is also used as an intermediate layer after the application of **Palette wood dye** and before applying **Black bison wax**. In a plastic can of 250 ml.



Natural finish floor varnish

Art. no. 28 56 00

A clear, matte varnish, particularly suitable for finishing of lightly coloured wood. It is also the basis for mixing pigment concentrate. (Art. No 28 58 10 etc.)

Drying time about 2 hours. This varnish is water-based and does not turn yellow. Packed in cans of 1,000 ml.





By mixing this concentrate with **Liberon natural varnish** (Art. no. 28 56 00), any desired colour can be made. Packed in glass bottles of 15 ml.

Art. no.	Colour
28 58 10	Black
28 58 20	Blue
28 58 30	Brown
28 58 40	Green
28 58 50	Orange
28 58 60	Red
28 58 70	White
28 58 80	Yellow
28 58 00	Box with 8 colours, assorted.



French polishes

A ready-to-use polish for different finishes. Packed in glass bottles of 250 ml.

Black polish

Art. no. 28 61 11

High gloss black polish, covers the grain of the wood completely. Also suitable for making black-glass or glass-mats.

White polish

Art. no. 28 61 21

Milk-like white, leaves the grain of the wood visible. For light woods.

Button polish

Art. no. 28 61 31

Gold-brown polish, leaves the grain of the wood visible.

A traditional polish for an antique effect.

Garnet polish

Art. no. 28 61 41

Dark-brown polish, the grain of the wood will be covered completely.

For dark woods.



Leather cream

For maintenance and protection of both antique and modern leather products such as furniture, clothing, bags, saddles etc. Packed in plastic cans of 150 ml.

Art. no.	Coloui
28 77 10	Neutraal
28 77 20	Black



Finishing oil

To strengthen and revive the colours of both old and new lacquered wooden frames. Water and heat resistant, so very suitable for kitchens, bathrooms and furniture.

Art. no.	Content
28 80 10	250 ml
28 80 11	1,000 ml



Tack cloth


Art. no. 28 90 00

Resin-treated cloth. Used for removal of dust, fluff etc. of frames, before Palette wood dye or Black bison wax is applied. Packed per 3 pieces.



Liquid glove

Art. no. 28 94 00 Washable hand protection against paint, dirt, oil etc. Solves only in water. Packed in a plastic box of 100 ml.



Steel wool

This steel wool is made of the highest quality steel and is almost 100% free of oil and fat. Can be used with Wax and Polish Remover, Special Effects Wax, Black Bison Wax and Gilt Cream.

Art. no.	Grit	On rolls of
17 61 10	0000	250 gram
17 61 20	000	250 gram
17 61 30	00	250 gram
17 61 40	1	250 gram
28 95 11	0000	1.000 gram



genuine silver leaf Gilding cusion **SHELLAC GILDING GILDER'S TIP Plaster of Paris** Alcohol **GENUINE GOLD LEAF PATINA**



Genuine gold leaf yellow

1st quality, transfer. In booklet of 25 sheets, size 8 x 8 cm.

Art. no.	Carat
21 10 10	22
21 10 15	22 moon
21 10 20	23 ¾

As above, however, loose.

Art. no.	Cara
21 15 10	22

1st quality, 23 ¾ carat, transfer, on rolls of 20.5 meters.

Art. no.	Width
21 17 10	10 mm
21 17 20	15 mm
21 17 30	20 mm



Genuine gold leaf white

Art. no. 21 18 00 1st quality, 12 carat. Transfer. In booklet of 25 sheets, Size 8 x 8 cm.



Genuine silver leaf

1st quality. In booklet of 25 sheets, Size 9.5 x 9.5 cm.

Ar	t.	n	0.	
21	2	'n	Λſ	١

Loose 21 20 10 Transfer




Art. no. 21 20 50 1st quality, transfer. Width 10 mm, length 50 meters.



Gilder's cushion


Art. no. 21 21 00 Cushion with a very soft top layer. Used for cutting gold leaf and silver leaf. Size 18.5 x 26.5 cm.



Gilder's knife

Art. no. 21 22 00

Double-sided sharpened. Length 14 cm.



Agate burnishing stones

For high gloss polishing of gold leaf and silver leaf.

Art. no.	Type
21 23 10	1
21 23 20	2
21 23 30	3
21 23 40	4
21 23 50	5



Burnishing size

Water based. Only suitable for attaching loose gold leaf and loose silver leaf, for high gloss polishing. Apply within 30 seconds.

Art. no.	Content
21 24 10	500 ml
21 24 11	1,000 ml



Metal gold leaf

Art. no. 21 25 60 IAIA quality, gold colour, number 2½. Packed per 500 sheets, size 16 x 16 cm.

As above, however, on rolls of 50 meters.

Art. no.	Width
21 27 10	10 mm
21 27 20	15 mm
21 27 30	20 mm
21 27 40	25 mm
21 27 50	30 mm
21 27 60	38 mm




Gilder's duster

Brand Da Vinci

Pure squirrel hair, ova<mark>l</mark> model. Set in green coloured <mark>s</mark>haft on wooden handle.

Art. no.	Size	Diameter	Hair length	Total length
21 28 10	0	5 mm	27 mm	180 mm
21 28 30	2	7 mm	29 mm	192 mm
21 28 40	4	10 mm	32 mm	202 mm
21 28 50	6	11 mm	36 mm	207 mm
21 28 60	8	13 mm	38 mm	232 mm















Gilder's tip

Brand Da Vinci

Pure squirrel hair. Set in green cardboard holder. Visible hair length 56 mm, total height 102 mm.

Art. no.	Width
21 29 10	25 mm
21 29 20	40 mm
21 29 30	50 mm
21 29 50	70 mm

Filling paste

A white, very fine and fast-drying water-based shrink-free paste, for filling mitres and repairing damaged frames.

Art. no.	Tube content
21 60 10	400 gram
21 60 11	1,300 gram

Metal silver leaf

Art. no. 21 30 00 IAIA quality, silver colour. Packed per 500 sheets, size 16 x 16 cm.

As above, however, on rolls of 50 meters.

Art. no.	Width
21 32 10	10 mm
21 32 20	15 mm

Silver leaf Abbuerstig

Art. no. 21 31 00

A-quality, small flakes, packed per 100 gr.

Rapid gold size

Water based mixtion.

To apply after 15 minutes, up to 48 hours.

Art. no. Content 21 35 10 500 ml 21 35 11 1,000 ml

Chalk-primer powder

Art. no. 21 41 00

White powder to be mixed with distilled water.

To be applied to untreated wooden frames, for obtaining an even surface.

Packed in a plastic jar of 500 gr.

Rubber latex

Art. no. 21 42 00 For making molds when restoring ornaments. Easy to apply with a brush. Packed in a plastic jar of 475 ml.



Plaster of Paris

Art. no. 21 43 00
Fine, white gypsum powder for making castings of rubber latex molds.
To mix with water. Quick-drying.
Packed in a box of 2,300 grams.



Bole powder

Powder to be mixed with distilled water.
Serves as a primer for the application of genuine gold leaf and silver leaf, and of metal gold and silver leaf.
Packed in plastic jars of 300 grams.


Art. no.	Colour
21 56 10	Red
21 56 20	Yellow
21 56 30	Black
21 56 40	White



Shellack

Art. no. 21 65 00

Flakes, soluble in alcohol, for making shellack by yourself.





Dye concentrate

With 1 or more drops of this liquid, natural shellack can be mixed to any desired colour. Packed in plastic bottles of 50 ml.

Art. no.	Coloui
21 66 10	Red
21 66 20	Green
21 66 30	Brown
21 66 50	Black
21 66 60	Blue
21 66 70	Yellow



Coloured shellack

Ready-to-use shellack. Packed in plastic bottles of 250 ml.

Art. no.	Colour
21 67 10	Clear colourless
21 67 20	Gold orange
21 67 30	Lemon
21 67 40	Indian lemon



Primer

A primer for sucking and moisture-absorbing surfaces. To be used on normal or highly absorbent frames. After a drying time of approximately 10 minutes, mixtion can be applied.

Art. no.	Content
21 70 10	500 m
21 70 11	1,000 m



Patina

A ready-made, water-based product, for patinating wooden frames. Packed in plastic jars of 500 ml.


Art. no.	Colour
21 75 10	Sand
21 75 20	Pink
21 75 30	Light grey
21 75 40	Dark grev



Alcohol

96% pure alcohol, e.g. for preparing shellack.

Art. no.	Content
21 80 10	500 ml
21 80 11	1,000 ml



For drawing thin lines on mats, with Mat-Magic inks.

Professional, wide model with swivel nib, for line width from 0.1 to 0.8 mm.







Powders

Brand Mat-Magic. In plastic jars of 20 gr.

Art. no.	Colour
23 31 03	Grey black
23 31 04	Dark blue
23 31 06	Purple
23 31 08	Driftwood
23 31 14	Black watch
23 31 15	Burgundy
23 31 20	Pink
23 31 23	Nutmeg
23 31 24	Sapphire
23 31 32	Rone white

Ink

Brand Mat-Magic. In plastic bottles of 15 ml.



Art. no.	Colour
23 42 02	Amethyst
23 42 06	Purple
23 42 07	Crimson
23 42 08	Driftwood
23 42 09	Dusk
23 42 12	Slate
23 42 13	Topaz
23 42 15	Burgundy
23 42 16	Mauve
23 42 18	Peach
23 42 20	Pink
23 42 21	Pottery
23 42 22	Rosewood
23 42 23	Nutmeg
23 42 24	Sapphire
23 42 25	Scarlet
23 42 29	Terra cotta
23 42 30	Teal
23 42 32	White
23 42 33	Wilow
	and the second s



MAT MAGI^C

Metallic ink

23 42 34

Brand Mat-Magic. In plastic bottles of 15 ml.

Yellow

Art. no.	Colour
23 64 19	Champagne
23 64 25	Silver



Paints

Brand Mat-Magic. In plastic jars of 60 ml.

Art. no.	Colour
23 53 03	Black
23 53 04	Dark blue
23 53 09	Dusk
23 53 10	Emerald
23 53 11	English rose
23 53 13	Topaz
23 53 14	Black watch
23 53 15	Burgundy
23 53 16	Mauve
23 53 18	Peach
23 53 19	Photo grey
23 53 20	Pink
23 53 21	Pottery
23 53 23	Nutmeg
23 53 24	Sapphire
23 53 32	White
23 53 34	Yellow

Glazing

Brand Mat-Magic. In plastic jars of 60 ml.



Metallic paints

Brand Mat-Magic. In plastic jars of 60 ml.

Art. no.	Colour
23 86 04	Rich gold
23 86 10	Bronze
23 86 15	Classic gold
23 86 16	Old gold
23 86 19	Champagne
23 86 20	Copper
23 86 30	Pewter







Burnishing bone

Art. no. 23 91 50 Brand Reisaco

For pressing, e.g. **Decoration tape** and **Mastermount**, and for smoothing sharp edges on mat cardboard.

Foam Biseaux

Art. no. 23 90 10

These foam strips are used to create deep bevels.
The strips are made of polystyrene, and both faces covered with sturdy, acid-free paper.
Both edges are cut diagonally at an angle of 45°.

The strips can be cut to size with e.g. a table-mat cutting machine.
Strip length 100 cm, width 8 cm, thickness 5 mm.
Packed per 20 strips.


Bevel wrapping Tapes

A self-adhesive, acid-free tape for decorating Foam Biseaux strips. **MM is adjusted to **Moorman** cardboard colour. Width 25 mm, length 15 meter.

Art. no.	No.	Colour
23 92 14	214	Spanish Gold
23 92 15	215 **(MM)	Natural White


As above, but width 48 mm, length 25 meter.

Art. no. 23 98 01 23 98 64 23 98 71 23 98 72	No. 801 864 871 872	Colour Ivory Old Gold White Black
23 99 81	981	Off White






Colour card is available on request.



RESACO CHAPTERS



Rebatespace

Brand Frame Tek

Used to obtain additional height if the rebate of the frame is too low for the item to be framed. Manufactured of PH neutral black plastic. Required frame width must be at least 13 mm.

Packed per 7 lengths of 152 cm, complete with 150 screws.

Art. no.	Extra height
26 40 10	3.2 mm
26 40 20	6.4 mm
26 40 30	9.6 mm
26 40 40	12.7 mm

FLEX HOOKS

frame plates

T-HOOKS mesh panel hooks

FHS-hanging plates 2



FLEXI DRIVER

anti-theft

Spring clip pliers

Art. no. 27 10 00

Made of chrome-plated steel. Using these pliers, spring clips can be made in any shape and height, maintaining resilience. The scale on the head of the pliers, makes it possible to set the required height of the spring clips.

Spring clips

Made of tempered blued spring steel. Equipped with 2 slots holes allowing the clip, after being screwed on to the frame, to be set to the correct position.

Complete with matching screws.

Packed per 100 pieces.

Art. no.	Length	Width
27 10 10	50 mm	13 mm
27 10 20	70 mm	19 mm
27 10 30	100 mm	19 mm

As above, however, made of stainless steel.

Art. no.	Length	Width
27 10 15	50 mm	13 mm
27 10 25	70 mm	19 mm
27 10 35	100 mm	19 mm

Mesh panel hooks

The ideal solution for hanging frames on mesh panels, as used in museums and art depots. Also equipped with 2 holes that allow the hook with, for example, cable ties, to be attached to the mesh panel.

Manufactured of 2.5 mm galvanized steel.

Art. no. 27 14 00 Small model. Total height 106 mm


Total height 106 mm<mark>, w</mark>idth 44 mm. Hook height 13 mm. Maximum picture weight 25 kg per hook.


Art. no. 27 15 00 Large model.

Total height 118 mm, width 70 mm. Hook height 19 mm. Maximum picture weight 40 kg per hook.

Art. no. 27 16 00

Specially developed for storing flat objects without hanging system. Equipped with 2×2 holes. Total height 325 mm, width 70 mm and a plateau of 80 mm deep.





T-hooks

Art. no. 27 20 10

Type M-4

Manufactured from galvanized industrial steel. Specially developed for the use in public areas, museums etc. Packed per 2 pieces. With the following features:

- Thread Length 32 mm
- To be used in combination with D-ring hangers hangers and screw eyes with an eye-diameter between 4 and 9 mm.
- Adjustable height
- Anti-theft cap nut
- Maximum picture weight up to 20 kg per T-hook
- Suitable for all types of walls
- · Simple and fast mounting
- Reusable

Art. no. 27 20 20

Type M-5

As above, however:

- Thread Length 32 mm
- Can be used with all types of screw eyes, screw brackets, etc.
- Maximum picture weight up to 40 kg per T-hook



Art. no. 27 20 22

Type M-5 extra lang

As above, however:

- Length 63 mm.
- Maximum picture weight up to 50 kg per T-hook

Art. no. 27 20 25 Type M-6 plaat

As above, however:

- Must be attached to the wall with 4 screws
- Maximum picture weight up to 50 kg per T-hook
- Can be mounted on the wall both horizontally, vertically and diagonally, the hanging hook is adjustable



T-screw

Art. no. 27 20 30

Facilitates screwing T-hooks without damaging the wall or the hook.



Flex hooks

Art. no. 27 30 10

Type M-4

As T-hooks, however:

- Must be attached to the wall with 2 screws
- Thanks to the slot holes, can also be adjusted horizontally
- Set consists of a left and a right model
- Maximum picture weight up to 20 kg per hook

Art. no. 27 30 20

Type M-5

As above, however: Maximum picture weight up to 40 kg per hook.

Art. no. 27 30 30

Type M-6

As above, however: Maximum picture weight up to 50 kg per hook.



Flexidrivers

Simple tool for fixing the anti-theft capnut on the

T- and Flex hooks. Equipped with a flexible extension with magnetic sleeve.

Total length 54 cm.

For nut
M-4
M-5
M-6



Frameplates

Art. no. 27 23 10

Type M-4. Manufactured from 3 mm thick brass plated industrial steel, plate size 12x30 mm, with interchangeable hanging eye, diameter 6 mm, and depot hook, length 35 mm. Complete with screws.

Packed per 2 pieces.

Art. no. 27 23 20 Type **M-5**

As above, however, nickel-plated, 4 mm thick, plate size 17 x 40 mm. Diameter eye 7 mm, length depot hook 60 mm.

FHS-hanging plates


A multi-functional system for hanging frames in private collections, museums, art depots, art lending and rental.

Manufactured from matted industrial steel. Packed per 2 pieces, complete with the required screws in 2 sizes: screw length of 10 or 12 mm.

The various options with this system are:

- Hanging on a wall hook
- Hanging by steel wire
- Hanging on mesh panels in art depots
- Step-free adjustment of height
- Packaging bracket for hanging eye or hanging hook (extra)
- Anti-theft set for FHS-2 (extra)

Art. no.	Type	Height	Width
27 25 10	FHS-2	70 mm	25 mm
27 25 20	FHS-3	95 mm	37 mm



Packaging bracket

Art. no. 27 25 30

Attached to the FHS hanging plate, to store either the hanging eye, or the depot hook. Packed per 2 pieces.

Anti-theft bolts

Art. no. 27 25 40

When using this system, the hanging eye is replaced by a special bolt, and the frame should be hung on a screw or flat hook onto the wall.

Packed per 2 pieces.

Please note that this is only suitable for FHS-2 plates.

Anti-theft key Art. no. 27 25 50

Picture varnish

picture cleaner

VARNISH MAT

katone resin

MAINTENANCE PAINTING CANVASES

VARNISH GLOSSY

DAMAR





Brand Oudt Hollandse Scheveningen.

Suitable for cleaning varnish layers. The cleaner contains beeswax, that makes the painting mat, after drying. Soluble with turpentine.

Art. no.	Content
29 10 11	250 ml
29 10 12	500 ml

Picture varnish glossy

Brand Oudt Hollandse Scheveningen.


Smooth glossy varnish that does not yellow, to protect the painting. Made of Catone resin, dissolved in turpentine.

To be used about 1 year after the paint has dried properly.

Art. no.	Content
29 15 11	250 ml
29 15 12	500 ml







To be used about 1 year after the paint has dried properly.


Art. no.	Content
29 20 11	250 ml
29 20 12	500 ml

Retouching varnish Dammar

Brand Oudt Hollandse Scheveningen.

Varnish for retouching dull spots and for temporary protection of the artwork. To be used as soon as the paint is dry, dries itself within hours. Gives an even shine and does not influence the layers of paint. Manufactured on the basis of Dammar resin and turpentine.

Art. no.	Content
29 25 11	250 ml
29 25 12	500 ml



flexi points

PULL MATE

Frame master

22 BRAD DRIVERS FRAMER POINT MACHINES Hardpoints

MULTI MASTER

Flexi Master

F18 PENNEN



Framemaster

Art. no. 30 18 00

Brand Fletcher type 07-500

Shoots hard flat points of 10 and 16 mm length in the rebate of the frame.

Art. no. 30 18 01

Push plate for Framemaster

Art. no. 30 46 99

6-piece repair kit for Framemaster



Art. no. 30 18 05

Brand Fletcher type 07-300

Pneumatic model.



Framers-points

Art. no. 30 18 10

Type nr. 08-950 For Fletcher Framemaster.

Length 16 mm.

In boxes of 3,000 pieces.



Pull mate

Art. no. 30 18 15

Brand Fletcher type 09.517

To easily remove Fletcher Framerspoints and Glazier points

from the rebate of the frame.




Glazier-points

Art. no. 30 18 20

Type nr. 08-980 For Fletcher Framemaster.

Length 10 mm.

In boxes of 5,000 pieces.



Brad drivers

Art. no. 30 10 00

Brand Maestri type Elpa F18

Specially developed for framemakers.

Shoots brads of 18 mm length approx. 8 mm in the rebate of the frame.

Brads F18

Art. no. 30 15 10

For brad drivers Elpa F18 and FP18

In boxes of 5,000 pieces.

Brad drivers

Art. no. 30 17 00 Brand Maestri type Elpa F12

Great for narrow profiles. Shoots brads of 12 mm length approx. 6 mm in the rebate of the frame.

Brads F12

Art. no. 30 17 10 For brad driver Elpa F12 In boxes of 2,000 pieces.



Art. no. 30 20 00

Brand Fletcher type 07-800

Shoots multipoints of 13 mm length in the rebate of the frame. Because the points are 8 mm wide, a greater pressure is obtained on the work to be framed. The points also feature a hole for easy and fast mounting of stacked frames.

Art. no. 30 20 01

Push plate for Multimaster

Art. no. 30 46 99

6-piece repair kit for Multimaster



Art. no. 30 20 10

Type **08.975** For **Fletcher Multimaster**.

Packed per 3,000 pieces.

Fleximaster

Art. no. 30 46 00

Brand Fletcher type 07-700

Shoots flexipoints of 15 mm length in the rebate of photo frames.

Art. no. 30 46 01

Push plate for Fleximaster

Art. no. 30 46 99

6-piece repair kit for Fleximaster

Flexipoints

Art. no. 30 46 10


Type nr. 08-955 For Fletcher Fleximaster.

In boxes of 3,700 pieces.













Art. no. 30 50 00 Brand Maestri type Flex 15

For shooting flexipoints in the rebate of photo frames.



Flexipoints

For flexipoint drivers Meastri Flex 15, Flex 15 Electra and PF 15 Flex.

Packed per Art. no. 30 50 10 2,000 pieces 30 50 11 5,000 pieces

Art. no. 30 50 20

For flexipoint driver Fixaflex FXM

Packed per 2,000 pieces

Please note: these are only suitable for the light red lip machine supplied

by Primus Globe.



Pneumatic point driver

Art. no. 30 48 00

Type 15. Shoots both Flexipoints as well as Rigid points in the rebate of photo frames and normal frames.



Art. no. 30 48 30

Bendable points, suitable for all point drivers of Cassese type CS6.15, Omer, Pistorius, ITW/AMP, Framers corner, Inmes, Elpa and all other drivers for a tab with a length of 15 mm, width of 4.5 mm, and a thickness of 0.35 to 0.40 mm. Colour black, packed per 10,000 pieces.



Art. no. 30 48 40

As above, however, not bendable.

Colour silver, packed per 10,000 pieces.



Art. no. 30 49 00

Brand Cassese, type CS 6.25

Shoots Flexipoints of 25 mm in the rebate of a frame.



Flexipoints

Art. no. 30 49 20

Flexible points of 25 mm length for the point driver,

brand Cassese, type CS6.25

Colour black.

Packed per 3,000 pieces.

Pneumatic staplers

STAPLERS PIN MACHINES

PIN MACHINE

MEK 80

MAESTRI

SENCO

HAND STAPLERS



staple remover



Hand staplers

Art. no. 32 12 00 Brand Rapid type 23

Heavy metal model. For staples type 13/4, 6 and 8 mm.

Art. no. 32 14 00

Brand Maestri type Duotak

Plastic model.

Suitable for staples of type 13/4, 6 and 8 mm, and for type 53/6 and 8 mm.

Maestri staples

Type 13 for Maestri Duotak, Technica 1310, Rapid 23,

Rapid 213 and Rapid 135 In boxes of 5,000 pieces.

Height
4 mm
6 mm
8 mm



Pneumatic stapler

Art. no. 32 20 00

Brand Maestri, type MEK 80


Heavy model. For staples type 80/4-6-8 and 10 mm.

Maestri staples

For MEK 80

Also suitable for the Bex Brand. In boxes of 10,000 pieces.

Art. no.	Height
32 20 20	6 mm
32 20 30	8 mm
32 20 40	10 mm



Type 104 and 107

For Rocama stapler machine type SA. In boxes of 5,000 pieces.

Height
4 mm
7 mm


Type 53

Suitable for various models of staplers from the following brands:

Arrow, Black & Decker, Bosch, Esco, Maestri Duotak, Maxicraft, Mekano, Metabo, Novus, Piranha, Rapid, Rocafix, Stanley, Wolfcraft.

In boxes of 5,000 pieces.

Art. no.	Height
32 35 20	6 mm
32 35 30	8 mm



Pneumatic staplers

Powerful yet compact and lightweight model with anti-slip handle.

Art. no. 32 39 30

Brand MAESTRI, Type C
Suitable for staples with a 9.2 mm crown width and a 0.76 mm wire width of **Senco** type **C/6-8-10**-12-14-16 mm.

Available **C-staples**:

Art. no.	Height	Type	Packed per
32 40 20	6 mm	C04	35,000 pieces
32 40 30	8 mm	C05	28,000 pieces
32 40 40	10 mm	C06	50,000 pieces
32 40 50	12 mm	C08	35,000 pieces
32 40 60	14 mm	C09	32,000 pieces
32 40 70	16 mm	C10	27,000 pieces



Art. no. 32 39 40 Brand Maestri, type F

Suitable for staples with a 12.9 mm crown width and a 1.27 mm wire width, of Senco type F/6-8-10 and 12 mm.

Particularly suitable for stretching canvases.

Available F-staples:

Art. no.	Height	Type	Packed per
32 43 20	6 mm	F04	34,000 pieces
32 43 30	8 mm	F05	30,000 pieces
32 43 40	10 mm	F06	24,000 pieces
32 43 50	12 mm	F08	14,000 pieces



Staple remover

Art. no. 32 30 00 Brand Rapid type 3

To easily remove staples from backing board.

Pneumatic pin driver



Art. no. 32 49 00

Brand Senco type Finishpro 10

Shoots headless pins of 0.6 mm diameter, for mounting

of inlay trips and insert frames.


Also very suitable for securing canvasses in deep frames etc.

Pins

Brand Senco type JS and CZ In boxes of 10,000 pieces.

Art. no.	Length
32 49 10	12 mm
32 49 20	15 mm
32 49 30	18 mm
32 49 40	25 mm







Brand Senco Model SFT10XP

Light and compact model, suitable for continuous use.

With extra long, narrow and smooth nose.





For staples with a 9.2 mm crown width and a wire width of 0.76 mm.

Available **C-staples**:



Height	Туре	Packed per
6 mm	C04	35,000 pieces
8 mm	C05	28,000 pieces
10 mm	C06	50,000 pieces
12 mm	C08	35,000 pieces
14 mm	C09	32,000 pieces
16 mm	C10	27,000 pieces
	6 mm 8 mm 10 mm 12 mm 14 mm	6 mm C04 8 mm C05 10 mm C06 12 mm C08 14 mm C09



Art. no. 32 41 00

Stapler for A-staple

For staples with a 4.8 mm crown width and a wire width of 0.76 mm.

Particularly suitable for securing framed work in a rebate.

Available **A-staples**:

V V	32 41 40 32 41 50 32 41 70	10 12 16
11-0-	Art. no. 32 4 Stapler for B	

Art. no.	Height	Type	Packed per
32 41 20	6 mm	A04	60,000 pieces
32 41 30	8 mm	A05	40,000 pieces
32 41 40	10 mm	A06	40,000 pieces
32 41 50	12 mm	A08	30,000 pieces
32 41 70	16 mm	A10	22,000 pieces

ple

For staples with a 12.9 mm crown width and a wire width of 0.76 mm.

Available **B-staples**:

Art. no.	Height	Type	Packed per
32 42 20	6 mm	B04	25,000 pieces
32 42 30	8 mm	B05	45,000 pieces
32 42 40	10 mm	B06	40,000 pieces
32 42 50	12 mm	B08	25,000 pieces
			- , F



Art. no. 32 43 00 Stapler for **F-staple**

For staples with a 12.9 mm crown width and a wire width of 1.27 mm.

Particularly suitable for stretching canvases.

Available **F-staples**:

Art. no.	Height	Type	Packed per
32 43 20	6 mm	F04	34,000 pieces
32 43 30	8 mm	F05	30,000 pieces
32 43 40	10 mm	F06	24,000 pieces
32 43 50	12 mm	F08	14,000 pieces

compressor **EMINENT**

quick-release

Fittings

COMPRESSOR AND SUPPLIES

BLOW GUN

Senco

compressor oil



Blow gun

Art. no. 32 50 00

Brand Eminent type E18 Mini

Made of impact-resistant plastic, with metal nozzle.

Complete with quick release fitting.



Compressor

Art. no. 35 31 00

Brand Senco type PC 1252 EU

Engine 220V, 2 HP, 8 bar. Content 3 liters, suction volume 201 liters air per minute.

Silent type, for comfortable working.



Tacker oil

Art. no. 35 34 00

Brand **Senco**

Machine oil for pneumatic tools to prevent rust and oxidation.

In a plastic bottle of 236 ml.



Compressor oil

Art. no. 35 35 00

Brand **Senco**

Suitable for all brands compressors.

In a plastic bottle of 946 ml.



Teflon lubricant spray

Art. no. 33 25 10

For dry-lubrication and reduction in resistance of moving parts on e.g. mat cutting machines, mitre machines, staplers, etc.

In a metal can of 200 ml.



Supplies and parts for compressed air systems



Hose set

Art. no. 35 32 10 Brand Senco

Length 10 meters, complete with releases for a compressor and for a stapler or a blowgun.



Quick release fitting


Art. no. 35 32 20

Brand Senco

With ¼ outer thread, for connecting a stapler or a blowgun.







Quick release tail

Art. no. 35 32 30 Brand **Senco** With hose pillar for an air hose 8 mm and a connection for the Quick release body Art. no. 35 32 40 or a two-pass **Quick release body** Art. no. 35 32 50

Quick release body

Art. no. 35 32 40 Brand **Senco** With hose pillar for an 8 mm air hose. Fits on coupler Art. no. 35 32 20 and coupler/hose pillar Art. no. 35 32 30

Two-pass quick release body

Art. no. 35 32 50 Brand **Senco** Is mounted on a compressor for e.g. 2 outgoing air hoses. **Mat Cutters**

oval circle cutter

Straight edge rulers

Fletcher

25 MAT CUTTING

speed mat


TEFLON LUBRICANT SPRAY

LOGAN

spare blades

Straight edge rulers

Brand **Logan**



Art. no. Length 33 16 10 60 cm 33 16 20 100 cm

Hand held mat cutter

Art. no. 33 17 00

Brand **Logan** type **4000**

A hand held cutter with a pivot-and-pull blade at an angle of 45°, with start and stop indicator and marking setting. Can, using 2 guides, be clicked on the Logan straight edge ruler. (Ruler not included).

For spare blades see page 102

Board mounted mat cutter

Art. no. 33 20 01

Brand Logan type 750-1

Table top cutter, for cutting straight mats at an angle of 45°. Cutting length up to 102 cm. Adjustable blade depth. Complete with cutting stops, cutting head, horizontal and vertical stop, straight cutter and 5 blades.

Mat cutting head

Art. no. 33 20 05

Brand Logan type 702 for Logan 750, also suitable as a hand held cutter.

Straight cutter

Art. no. 33 20 10

Brand Logan type 701 for Logan 750

For spare blades see page 102

Oval and circle cutter

Art. no. 33 20 40


Brand Logan type 201

For cutting round and oval mats, at an angle of 45°.


Round from 10 to 50 cm diameter, oval from 7.5 x 11.5 to 50 x 57.5 cm.

Complete with 5 blades.

For spare blades see page 101







012

015

015

Straight mount cutter

Brand Fletcher type 2200

Table top cutters, for cutting straight mats at an angle of 45°.

Complete with cutting stops, horizontal and vertical stop, straight cutter and 2 x 10 blades.

Cutting length up to Art. no. 33 55 01 120 cm 33 55 02 150 cm

Mat cutter blades

For Fletcher 2100, 2200, Matmate and Twinsystem. Also suitable for C+H and Keencut models, like Laser and Ultimat.

Art. no. 33 55 10 Type **05-012**

Super Keen, double edge sharpened, 0.012 thick.

Packed per 100 pieces.

Art. no. 33 55 20 Type **05-015**


Super Keen, double edge sharpened, 0.015 thick.

Packed per 100 pieces.

Art. no. 33 55 30 Type **05-016**

Super Keen, single edge sharpened, 0.015 thick.

Packed per 100 pieces.




Art. no. 33 55 90

Slips into the cutting head of the Fletcher 2100 and 2200 for a quick change of the mat cutting blade.

Mat cutting blades

Suitable for Dexter, Fletcher 1100, Fletcher Oval / Circle Mat Mate, Alto EZ Mate, Logan 201 Oval, Dahle Cube etc.




Art. no. 33 20 20

Backed blade, suitable for the older models of, among others,

C+H, Logan and the like. Packed per 100 pieces.



















Mat cutting blades

Art. no. 33 20 32

Art. no. 33 20 30 Brand Logan type 270 Suitable for Logan hand cutters model 250, 301, 350, 424, 440, 450, 550, 560, 701, 750, 760, 2000, 3000, 4000 Packed per 100 pieces.

Brand Logan type 271 As above, but single edge sharpened. Packed per 20 pieces. Art. no. 33 20 35

Brand Logan type 267 Suitable for Logan machines model 850, 855 and 860 Packed per 100 pieces. Art. no. 33 20 37

Brand Logan type 269 Suitable for Logan machines model 650, 655 and 660 Packed per 100 pieces.

Art. no. 33 20 60 For Logan foam board cutter type 1500 Packed per 5 pieces.

Art. no. 33 35 00 Type **080** Suitable for C+H, Fletcher 3100, Keencut models, like Ace, Arrow, Laser, Ultimat, System 4000 etc. Packed per 100 pieces.

Type 448.1 For Speedmat and Smart

Packed per Art. no. 33 42 10 100 pieces 33 42 11 500 pieces

Pressure Foot

Art. no. 33 42 01 For all models Speedmat with exception of Smart and Spirit

Art. no. 33 43 00 For Valiani type Astra, Cuttermatic, Future and K2 Packed per 100 pieces.

Art. no. 33 44 00 For **Speedmat** type **449.2** Only suitable for the **Spirit**. Packed per 500 pieces.






Guillotine

Art. no. 30 90 00 Brand Dahle

For cutting all cardboard types up to a thickness of 4 mm. Cutting length up to 110 cm. Complete with left and right stop, material clamp, operated by a foot pedal, protection cap and fold-out right-side extension table.



Substrate cutter

Art. no. 33 49 00 Brand Fletcher type F 60 For cutting to size, like:

- -foam board up to 13 mm
- -plastic up to 6 mm
- -PVC up to 3 mm
- -mat board
- -canvas and vinyl
- -photo's etc.

Equipped with a cutting head with locking system and a cutting ruler with a material clamp. Both to use as table model or on a wall (optional).


Size 30x178 cm, cutting length up to 157 cm.

Wall bracket

Art. no. 33 49 10 Includes material support with scale.



Art. no. 33 49 30 Packed per 10 pieces.



Multi material cutter

Art. no. 33 50 00 Brand Fletcher type 3100 Wall model, comes with 4 interchangeable heads for cutting glass, fiberboard, plastic or mat board. Cutting length up to 160 cm. Total height 198 cm, total width 203 cm.

For information and orders: Call +31 165 518191





















The original blades and wheels for Fletcher's machines.

Wall/size cutter Fletcher model F3000 and F3100

Glass wheels Art. no. 33 50 10 Type **02-120**

Standard wheel. Packed per 10 pieces.

Art. no. 33 50 20 Type **03-126** Tungsten carbide wheel. Packed per piece.

Glass wheel holder Art. no. 33 50 25 For wheel **02-120** and **03-126**

Hardboard wheels Art. no. 33 50 30 Type **05-715** Packed per set.

Hardboard wheel holder Art. no. 33 50 35 For wheels **05-715** Including 1 set of wheels.

Hardboard wheel bearings Art. no. 33 50 36 For wheels type **05-715** Packed per set of 2 pieces.

Plastic scoring blade Art. no. 33 50 40 Type **05-712** Packed per 10 pieces.

Plastic scoring blade holder Art. no. 33 50 45 For blade **05-712**

Utility blade Art. no. 33 50 50 Type **05-004** Packed per 100 pieces.

Utility blade holder Art. no. 33 50 55 For blade **05-004**



Cardboard cutting blade

Art. no. 33 50 60 Type **05-001** Packed per 10 pieces.



Production stop

Art. no. 33 50 70 Type **04-114** For Fletcher Multi material cutter model F3100



Tube Bushing

Art. no. 33 50 80 Type 24-106



Speed screw

Art. no. 33 50 90 Type **12.210** For all Fletcher wheel- and blade holders.



Oval and circle cutter Fletcher model F1100

Glass wheel

Art. no. 33 60 10 Type **03-130** Tungsten carbide wheel. Packed per piece.



Mat cutting blade

Art. no. 33 60 20 Type **05-007** Packed per 100 pieces.

MITRE SAWING

sawing

ULMIA

MITRE SAWS AND CHOPPER


Hang eye

saw blade for wood

saw blade for metal

Parts for hand mitre saw

Only suitable for the Ulmia hand mitre saws type 348 ML 1, 352 L and 354 L For type 348 ML 1



Art. no.	Part
34 10 10	Saw blade for wood, length 36.5 cm
34 10 20	Saw blade for metal, length 36.5 cm
34 10 30	Hang eye
34 10 40	Hang eye with red guide

For type 352 L

Art. no.	Part
34 15 10	Saw blade for wood, length 55 cm
34 15 20	Saw blade for metal, length 55 cm
34 15 30	Hang eye
34 15 40	Hang eve with red guide

For type 354 L

Art. no.	Part
34 20 10	Saw blade for wood, length 74 cm
34 20 20	Saw blade for metal, length 74 cm
34 20 30	Hang eye
34 20 40	Hang eye with red guide

Price and delivery time of the complete hand mitre saw, on request.

Fillet Chopper

Art. no. 34 45 00

Brand Fletcher type 04-900

For mitre cuts wooden inlay strips up to 38 mm wide. Complete with right extension table with size indication up to 1,295 mm and stop.

With reversible hardened steel blades for a longer service life.

UNDER PINNER

alfamacchine

CLAMPS



UNDER PINNER AND SUPPLIES

HAMMERS

TYPE UNI

holders

cassese



Under pinner

Art. no. 35 25 00
Brand Alfamacchine type Minigraf 44
Complete with stand, required pressure 6 ato.
Equipped with clamping device and system for positioning at any place for multiple V-nails.

Frame width up to 120 mm. Height up to 70 mm.

V-nail blocks

For Minigraf 3, 4 and 44

Art. no.	V-nail height
35 25 60	5 mm
35 25 63	7 mm
35 25 66	10 mm
35 25 70	12 mm
35 25 73	15 mm

Clamps

For Minigraf 3, 4 and 44

Art. no.	Model
35 25 80	Round with felt
35 25 83	Round with rubber
35 25 90	Angled with felt

Metal pressure plate

Art. no. 35 25 95

For MINIGRAF 3, 4 and 44

This holder will, in time, replace the clamps with Art. no. 35 25 80, 35 25 83 and 35 25 90

Art. no. 35 25 94

Magnetic holder for L-Rubbers.



Art. no. 35 25 95

Single holder for L-Rubbers.



Art. no. 35 25 91

Double holder for L-Rubbers.



Clamping pads

Art. no. Colour and kind of wood 35 25 96 Blue for soft wood 35 25 97 Yellow for medium wood 35 25 98 Black for hard wood





V-nails Type AL

Suitable for the under pinners of e.g. Alfamacchine, Elletrograph, ITW/Amp, Mitre Mite, Minigraf and all other machines, in which an 11 mm V-nail will fit. In boxes of 8,000 pieces.

F	<u></u>	r s	۸f	t	'n	^	rn	۱al	١٨/	'n	0	ı
П	U		w		ш	u		ıaı	- vv	u	w	п


Art. no.	V-nail height
35 40 10	5 mm
35 40 20	7 mm
35 40 30	10 mm
35 40 40	12 mm
35 40 50	15 mm

For hard wood

Art. no.	V-nail height
35 40 25	7 mm
35 40 35	10 mm
35 40 45	12 mm
35 40 55	15 mm

V-nails Type UNI

Suitable for the under pinners of e.g. Euro, Framers Corner, Gielle, Morso, Omega, Ortequil, Pistorius, Taurus, Inmes, Molgra and all other machines, in which an 10.2 mm V-nail will fit. In boxes of 8,000 pieces.



Art. no.	V-nail height
35 45 10	5 mm
35 45 20	7 mm
35 45 30	10 mm
35 45 40	12 mm
35 45 50	15 mm

For hard wood

V-nail height
7 mm
10 mm
12 mm
15 mm







V-nails for Cassese

Suitable for all Cassese under pinners. In a plastic cartridge of 280 pieces, with for each V-nail height its own colour: 5 mm white, 7 mm red, 10 mm orange, 12 mm blue and 15 mm yellow, as shown in the illustration on the left.

For soft/normal wood

Art. no.	V-nail height	Packed per
35 50 10	5 mm	1,400 pieces
35 50 11	5 mm	11,200 pieces
35 50 20	7 mm	1,400 pieces
35 50 21	7 mm	11,200 pieces
35 50 30	10 mm	1,400 pieces
35 50 31	10 mm	11,200 pieces
35 50 40	12 mm	1,400 pieces
35 50 41	12 mm	11,200 pieces
35 50 50	15 mm	1,400 pieces
35 50 51	15 mm	11,200 pieces
	20	, p.000

For hard wood

7 mm 10 mm

Triangular and round clamps

Suitable for all Cassese V-nail under pinners. Especially for soft wood.

Art. no.	Type	Model
35 28 70	1813	White triangle
35 28 73	1783	Yellow round, 30 mm height
35 28 76	1800	Yellow round, 45 mm height

As above, however, for hard wood.

Art. no.	Type	Model
35 28 80	1814	Black triangle
35 28 83	1791	Green round, 30 mm height
35 28 86	1804	Green round, 45 mm height



Clamp holders

For the above Cassese clamps.

Art. no.	For clamp
35 28 88	Round
35 28 89	Triangular





Hammers

Art. no. 35 28 90 Type **506** Length 61 mm. For Cassese under pinners nr. 79, 89, 99, 299, 486, 3099 and 4095

Art. no. 35 28 95 Type 52 Length 123 mm. For Cassese under pinners nr. 276, 810 and 810

Hammer retaining screw

Art. no. 35 28 96 For Cassese hammers Type 52 and 506

Adapter

Art. no. 35 28 60 Only for Cassese Mach 1 With this adapter, the black and white triangular clamps 35 28 70 and 35 28 80 can be used on this machine.


Pressure rubber

Art. no. 35 28 62 Only for Cassese Mach 1









INDEX A - O

10-

		\	Ferrule pliers	29-41	Hammers	LIBER N
5	Adhesive tapes	47-52	Ferrules	29-41	Handy wrap	BEESV62AX
14)	Agate burnishing stones	78	Fillet Chopper	106	Hanging hooks	13-33
/// G3	Alcohol	81	Fillet tape	54	Hanging plates	5-28
11/100	Aluminium leaf	79	Filling paste	67-79	Hanging systems	15
\\\	Anti theft sets	32	Filmoplast tapes	56 PAS	Hard wall hooks	13
F	Antistatic products	59	Fletcher blades and wheels	104	Hinges	37
			Foam Biseaux	-85	Hook and loop	12
	Band clamp	39	Foam board hangers	4		
,	Beeswax	74	Frame clips	3-5	Japanese Paper	52
(Bevel wrapping tapes	85	Frame stands	8		
	Blow gun	98	Frame strap	38	L-plate with hanger	33-36
	Board hooks	13	Frameless clips	3	Line markers	69-82
	Bole powder	80	Framespace	86	Lubricant	98
	Brushes	39-73-82	Framing corners	51		20
	Bumpers	5-63	Framing sets	38	Machine for self-fix h	angers 26
	Burnishing bone	85		16 14 1	Magnet strips	12
			Gilder products	18 17 1677	Magnetic hammer	40
	Canvas frame tape	53	Gilder's duster	78	Mat-Magic products	83
	Canvas wrap hanger) 6	Gilder's paste	64-71	Mdf hanger	25
	Cardboard cutting machin	ne 103	Gilder's tip	79	Measurer	41
	Cardboard stands	8	Gilders cushion	77	Metal leaf	78
	Carpenters measurer	41	Gilders knife	78	Mirror brackets	6
	Cassese products	109	Glass breaking pliers	45	Miter clamps	39-40
	Chalk primer powder	/79	Glass circular cutter	44	Miter pliers	39
	CJ Paste	66	Glass cleaner	59	Mixtion	78
	Cleaner for paintings	91	Glass cutters	44	Mount cutter blades	101
	Cleaning cloth	61	Glass cutters ruler	45 45	Mount cutters	100
	Colour concentrate	75-80-82	Glass cutting gauge	45	Mounting film	56
	Colour markers	67	Glass cutting oil	44	Multi stands	7
	Compressor and supplies		Glass gloves	44-60	Museum felt	55
	Corner hangers	33	Glass plate clamps	11	Museum hooks	14
	Cut tacks	34	Glass seaming tool	45		
	Cutting mats	42	Glass suction lifter	45	Nails	11-34
	Cutting rulers	42–100	Gloves	60	Neschen products	56
				9-50-52	Nylon cord	28
	Drivers	94	Glue container	39		
	Dry Cleaning Pad	82	Glue for wood	39	Object holders	38
	2/11/11/1		Glue solvent	52		
	EconoSpace	86	Glued hangers	6		
	Expo strip	11	Gold leaf	77		
	Fancy hangers	25-33	Gold paint SENCE	64-71		
	Felt bumpers	///63 ///	Grip bags	62		

INDEX P - Z

\		\			
		\			\
00-	INDEX P - 2	<u>Z</u>			\
//		\			
1001			\	Security plates	32
11/10_	Packing tape		62	Self-fix hangers	26
11/2/	Painting varnish		91	Separation wall h	ooks 14-17
11/2	Patina //		81	Shellac	80
	Pen machines		92	Side cutter	41
\\\ .	Perlon wire		28	Silver leaf	77
E	PH testing pen		50	Size cutters	103
	Photo backs	9-	10	Spacers	5-63
	Pin machine		96	Spring clips	34-88
	Pin machines		92	Stabilayout mark	ers 68
	Plaster for molds	67-	80	Stands	7
	Plastic bags		62	Staple remover	96
	Plate hangers		3	Staplers	95
	Plate stands		8	Staples	95
	Polish cream	65-	72	Steel wire	28
	Polish paste		61	Steel wool	43-76
	Poster snaps		4	Stop wax	64-70
	Poster strips		4	Strut backs	19 18 17 19
	Presse-papier		43		
	Primer	//	81	Tack cloth	76
	Protective corners		63	Tape measurer	41
				Tapes	47
	Rabbet Space		87	Tem Art products	88
	Renaissance Wax)	61	Tile hangers	6
	Retouch products	64-		Tooth hangers	26
	Retouch varnish		91	Towel rollichs	61
	Ring	\	35	Transfer tape	50-54
	Rubber latex	67-		Triangle hangers	25/
	Rubber roller		43	Triangle points	45
	Ruling pen		82	Turn buttons	10
	Sample hook		12	Ulmia saw blades	
	Sanding materials		42	Underpinner mac	
	Saw blades		06	Utility knifes and	
	Saw tooth insert hanger		27	Utility snap-off kn	ifes and blades 42
	Scalpel		82		
	Scissors	40-1		V-nails	108
	Screw bits		38	Varnish	74-91
	Screw brackets		31		
	Screw eyes	1	25	Wood touch-ups	67
	Screw hangers		30	Woodprint hange	er 4
	Screw plates		31	7	SENCO L
	Screws for wood	// //	37	Z-clips	36
	Screws for wood	//-	37	Z-strip	30

INDEX BRANDS

Acle	5
Alfamacchine	107
Artiteq	17 t/m 24
CJ Paste	66
Curl-UP	10
Da Vinci	78-79
Dorus	39
Fletcher	38-45-92-93-101
	103-104-105-106
Frame Tek	32-86-87
Kiasu	10
Liberon	70 t/m 76
Lineco	47 t/m 51
Logan	100-102
Maestri	92 t/m 96
Mat Magic	83-84
Miniquick	26
Neschen	56 t/m 58
Newly	15-16
Oudt Hollandse Scheveningen 91	
Rapid	95-96
Reisaco	3-59-67-85
Senco	96 t/m 99
Silberschnitt	44
Stabilayout	68-69
Tegera	60
Temart	88 t/m 90
Тоуо	25
UK Tape	53-54
Ulmia	106
Wall Buddies	33